




CATALOGUE 2024



**COMMERCIAL &
SAFETY MATTING**




**ROLL RUBBER &
RUBBER PRODUCTS**



**SEALS, PINCHWELDS
& EXTRUSIONS**



TAPES & ADHESIVES



UPHOLSTERY SERVICES

ABOUT US //

Bathurst Foam & Rubber is situated in the heart of Bathurst industrial hub, servicing the Central West region and beyond. Bathurst Foam & Rubber is a family owned and operated business with over 12 years experience as an industry leader in the central Western region. Andrew has over 36 years experience in the automotive & marine upholstery trade, Chanda has 25 years of experience as a Tailor. At Bathurst Foam & Rubber we not only know and understand foam and its grades and correct usage of foam, but can create custom upholstered cushions to suit your needs. We stock a large range of roll rubber, automotive rubber & seals, Gym flooring and Equine rubber plus much more.

The core of our business is in our products and our own brands we make and sell in our shop such as Fish river Swags and Cloud 9 Foam Mattresses.

We stock a wide range of products and source all our products through local suppliers to the industry and sell Australian made products where possible.



CONTENTS //

COMMERCIAL MATTING

Entrance Matting	Page 4
Safety & Anti-Fatigue Mats	Page 6
Modular Mats	Page 10
Specialty Mats	Page 11

ROLL RUBBER

Insertion & Strip Insertion Rubber	Page 15
Roll Rubber Matting	Page 16

RUBBER PRODUCTS

Chair Tips & Closures	Page 20
Internal Closures & Handle Grips	Page 21
Grommets	Page 24
Wheel Chocks	Page 25
Hoist & Crane Pads	Page 25
HD Buffers	Page 26
Bumper Mounting	Page 26
Pillar Guard	Page 26
Tie Downs	Page 26
Mcdonalds Door Seal	Page 26
Rubber Extrusion	Page 27
EPDM Sponge Extrusions	Page 27
Self Adhesive Sponge	Page 29
EPDM Sponge Rectangular	Page 30
EPDM Solid Rubber Strip	Page 31
Cord	Page 32
Blocks, Strips, Hatch Cover	Page 33
Door Seals - E Seals	Page 34
Door Seals - P Seals	Page 35
Weatherstrip	Page 36
Bailey Channel - Flocked Rubber	Page 39
Channels & Locking Strips	Page 41
Glazing Rubber	Page 42
Capping Rubber	Page 45
Cover Strip	Page 46
Docking Rubber	Page 47
Pinchweld	Page 48
EPDM Rubber & Sponge	Page 48
PVC/EPDM Sponge	Page 50

ADHESIVES & TAPES

EPDM Rubber Tape	Page 52
Neoprene Rubber Tape	Page 52
PE Foam Tape	Page 52
Strong Bond - Contact Cement	Page 53
Tensorgrip® Adhesives	Page 53
Helmar H4000 Silicone Spray	Page 54
Tenacious Surface Primers	Page 54
CV2002 Cold Vulcanising Cement	Page 54
Chemvulc Plasto Cement	Page 54
Rapidstick™ 8406 Adhesive	Page 55
Tear-Aid Repair Kits	Page 55
Stormsure Flexible Repair Adhesive	Page 55

CLOUD 9 FOAM MATTRESSES

Quality Advanced Memory Foam Mattresses	Page 56
---	---------

UPHOLSTERY SERVICES

Automotive Home & Domestic Commercial	Page 58
Caravan / Motorhome / Truck	Page 58
Home & Domestic	Page 58
Commercial Upholstery	Page 58

ENTRANCE MATTING

Absorba Mat

The Absorba mat is a heavy duty carpet mat with a non slip rubber backing. The raised square surface pattern provide a bi level construction to assist in removing debris and moisture while the non trip ramped safety edge acts as a dam to contain water and particles trapped in the mat and prevent it from being brought into the facility. Being the most absorbent mat, this mat is suitable for high traffic entrances and areas where maximum water absorption is required to prevent slips and falls. Available in a range of standard sizes to suit a variety of doorways, the Absorba mat can also be customised as a loose lay mat or recessed into the floor if required.


FEATURES

- Heavy duty mat for high traffic areas.
- Grippers on underside minimise movement.
- Raised reinforced rubber dam border.
- Reinforced rubber raised squares to prevent pile from crushing, improving wear ability.
- For indoor/outdoor use.

This product has been Slip Resistance tested by AWTA Product Testing using the Wet Pendulum Test Method. It tested P5 (highest possible classification) in accordance with the National Construction Code (NCC) specifications.

SIZES:

620 x 860mm
860 x 1440mm
860 x 2400mm
860 x 2970mm
1140 x 1690mm
1140 x 2400mm
1140 x 2970mm
1750 x 2400mm
1750 x 2920mm
1800 x 6045mm



COLOURS: Pepper (standard)

Prestige Mat

Prestige Mat is an attractive, hardwearing mat for medium traffic entrances, constructed with a classy diamond pattern polypropylene surface and a heavy duty rubber backing. The raised, reinforced rubber border assists in trapping moisture and dirt from footwear whilst the non slip underside pattern holds the mat in place. The all weather construction of the Prestige Mat makes it ideal for use both indoors or covered outdoors. Available in four popular sizes and in a popular charcoal colour, this mat will enhance your doorways and help keep your floors clean and dry.

FEATURES

- Attractive, hard wearing mat for medium traffic entrances
- Heavy duty rubber backed with a stylish polypropylene surface
- All weather construction suitable for indoor and outdoor
- Grippers on underside – minimize movement on carpet
- Raised reinforced rubber border helps trap moisture and dirt

SIZES:

450 x 750mm
600 x 900mm
900 x 1500mm
1200 x 1800mm



Colours: Grey

Esteem Ribbed II

Esteem Ribbed II is a stylish, medium duty entrance mat consisting of a wide-ribbed polypropylene surface and a heavy duty rubber backing. The coarse fibres of the ribs in the bi-level construction assist in scraping dirt and debris from footwear and trapping it within the lower channels in the mat, preventing it from being walked onto other floor surfaces, whilst the low profile rubber edging with safety borders sits flat on the floor preventing a trip hazard. The Esteem Ribbed II Mat is easy to clean by vacuum or hose. Available in five standard sizes and in an attractive medium charcoal colour, this mat is perfect for indoors or covered outdoors applications.

FEATURES

- Stylish wide ribbed polypropylene surface absorbs water and scrapes shoes clean
- Tough all weather construction for indoors or covered outdoors
- Low profile with safety borders
- Heavy duty rubber backing
- Easy to clean by vacuum or hose.

SIZES:

400 x 700mm
600 x 900mm
800 x 1200mm
900 x 1500mm
1200 x 1800mm



Colours: Grey

Wondersorb

Wondersorb is a versatile, fully laundrable, ultra absorbent medium duty mat consisting of a nylon twist pile surface and a nitrile rubber backing. The ultra absorbent surface retains large amounts of liquid while the dual zone gripper backing will cling to any floor type, hard or carpeted alike. The low profile nitrile rubber backing always sits flat on the floor preventing a trip hazard, and it will not crack or curl. Solution dyed to prevent fading, Wondersorb is machine washable. Available in five standard sizes and readily available in Charcoal, other colours are available upon request. Wondersorb can also be custom made to your measurements.

FEATURES

- Ultra absorbent surface retains large amounts of liquid
- Machine washable
- Dual zone gripper backing will grip to any floor type
- Mat surface is 100% recycled – made from scrap PET bottles
- Nitrile rubber backing won't crack or tear

SIZES:

600 x 850mm
850 x 1200mm
850 x 1500mm
1150 x 1750mm
850 x 3000mm
Custom sizes available



COLOURS: Charcoal

Rubber Brush Scraper


The Rubber Brush Scraper is a heavy duty outdoor scraper mat which is ideal for removing large amounts of dirt and debris at the entrance of buildings, preventing it from being walked onto inside floor surfaces. Constructed from 100% natural rubber, hundreds of rigid studs on the mat surface assist in dislodging dirt and debris from footwear, whilst the base is slip resistant. Moulded as one piece, this mat will stand the test of time in terms of durability, the ramped edges provide extra safety, preventing trips and falls whilst the raised dam border traps in liquid preventing it from leaking out onto surrounding floors. The Rubber Brush Scraper is easy to clean by shaking and/or giving it a hose. Available in three popular sizes, this mat can also be customized to your measurements.

FEATURES

- Heavy duty outdoor scraper mat
- Rubber studs dislodge dirt from shoes
- Slip resistant base
- Ramped edge for added safety
- Effective outdoor mat

SIZES:

610 x 810mm
710 x 1070mm
910 x 1830mm
Custom sizes available



COLOURS: Black

Clean Loop Mat

Clean Loop is a light weight, medium duty entrance mat which is particularly ideal for coastal and other sandy areas. The PVC loops on the surface of the mat assist in scraping sand, dirt and debris from footwear and retaining it in the mat, preventing it from being walked onto surrounding floor surfaces. The standard size mats have a pressed border, making it low profile and safe from trips on the mat edges and the edges are bonded to a non-skid backing preventing the mat from 'walking'. Custom sized mats can also be edged with a ramped black PVC Border. Clean Loop is UV resistant and can be used both indoors and outdoors situations. Regular cleaning by shaking, hosing or vacuuming is recommended to maintain the performance of the mat. Clean Loop is available in four standard sizes in either grey or black and can be custom sized.

FEATURES

- Can be used indoors or outdoors
- Gives a powerful scrub to the base of footwear
- Collects dirt and debris from footwear and hides it from sight
- Easy to clean – can be hosed, shaken or vacuumed out
- Ideal for coastal and sandy areas

SIZES:

600 x 900mm
900 x 1500mm
1200 x 1800mm
1200mm wide runner



COLOURS: Black or Grey



[VIEW PRODUCTS](#)

SAFETY & ANTI-FATIGUE MATS

Anchormat

Anchormat – Carpet Chair Mats are used on commercial carpets - available for High pile and medium pile carpets. Made from twice-extruded PVC the mat surface is ultra clear, whilst the rounded grippers on the base of the mat will not damage the carpet underneath. Designed to protect floor coverings from wear and tear from chair castors and greatly reduces wear on office chair wheels and bases. Anchormat Chair Mats also allow chair wheels to glide easily over them, making movement easier on the users back. This product can be fully recycled after use and contains no banned substances, making it environmentally friendly and safe to use. Anchormat Carpet Chair Mats also carry a 12 year limited warranty. Easy to clean by wiping over with a damp cloth, this product is available in three standard sizes (two in the keyhole style and the largest, a rectangle). Can also be customized



FEATURES

- Available for high pile and medium pile carpets
- Protects floor coverings from wear and tear from chair casters
- Greatly reduces wear on office chair wheels and bases
- Allows chair wheel movements to be easier on your back
- Can be fully recycled after use and contains no banned substances

SIZES:

- Secretary (Keyhole)
900 x 1220mm
- Executive (Keyhole)
1150 x 1350mm
- Diplomat (Rectangle)
1160 x 1510mm

Dura Step

Dura Step Mat is a heavy duty anti-fatigue Mat used heavy use situations. The 100% nitrile rubber Mat is a two part system, with the flexible raised diamond patterned surface gives the Mat excellent anti-slip properties and is easy to clean, while the soft foam on the underside is what gives the Mat its unique comfortable standing surface. Bevelled edges on all four sides allow easy access on and off for foot or wheeled traffic and prevent trips. The grippy PVC foam underside allows the mat to sit steady on hard floor surfaces or low pile carpet. This mat is suitable for use in dry or light wet, high use environments where extreme comfort and relief is needed from standing on a hard surface. This product is stocked in two standard sizes, three standard runner widths or it can be made to measure if required to fit into a specific area



FEATURES

- Soft nitrile rubber foam underside provides relief and comfort when standing
- Raised diamond patterned surface gives excellent traction
- Made from nitrile rubber which is grease and oil proof
- Non trip bevelled edges are safe and suitable for trolley wheels
- Smooth surface is easy to clean
- Mat can easily be cut or modified to shape and size
- HACCP certified for use in dry areas

SIZES:

- 600 x 850mm
- 850 x 1500mm
- Runner widths 580, 850, 1180mm
- Custom sizes available

Colours: Black or Black with Chevron border

Comfort Stand Plus

Comfort Stand II Mat is a heavy duty anti-fatigue Mat used moderate use situations. The light leather grained patterned surface gives the Mat excellent anti-slip properties and is easy to clean, while the soft polyurethane foam formula provides a comfortable standing surface and will immediately spring back into original once stood or walked on. Bevelled edges on all four sides greatly reduces the risk of trips. The foam underside allows the mat to sit steady on hard floor surfaces or low pile carpet. This mat is suitable for use in dry, medium use environments where extreme comfort and relief is needed from standing on a hard surface. This product is stocked in one standard size.



Colours: Grey

FEATURES


- Soft polyurethane formula provides excellent relief and comfort when standing
- Light leather grain patterned surface gives mat great traction
- Non trip bevelled edges eliminate trips on mat edges
- Smooth surface is easy to clean
- Very lightweight so can be moved easily when not in use
- Made in the USA from pure polyurethane

SIZES:

- 450 x 610mm
- 600 x 1200mm

Ergo Tred

Ergo Tred Mat is a medium duty, 100% natural rubber anti-fatigue Mat. The unique domed patterned surface has been ergonomically designed to give maximum comfort and keeps the feet moving to improve circulation in the legs and feet. Non trip safety edges come standard on all four sides and are available in a yellow option to increase visibility of mat warning of potential hazards. This mat is suitable for use in dry, medium use environments where comfort and relief is needed from standing on a hard surface. This product is stocked in two standard sizes or it can be custom made to length in runners or to shape to fit into a specific area.



FEATURES

- Soft rubber formula provides relief and comfort when standing
- Ergonomically designed bubbles keep feet and legs constantly moving to improve circulation and reduce the risks of cramping and varicose veins
- Non trip bevelled edges for added safety and to reduce the chance of tripping on mat edges
- Available with black or yellow safety borders
- HACCP certified for use in dry areas

SIZES:

600 x 900mm
900 x 1200mm
Custom sizes available

COLOURS: Black or Black with yellow border

Air Grid

The Air Grid Mat is a hard wearing, heavy duty, 100% natural rubber anti-fatigue Mat. The raised square surface provides excellent comfort, while the rippled pattern gives extra traction and the suction caps on the mat base keep the mat in place on hard surfaces. Non trip safety edges come standard on all four sides and are available in a yellow option to increase visibility of mat warning of potential hazards. This mat is suitable for use in wet or dry, heavy use environments where comfort and relief is needed from standing on a hard surfaces. This product is stocked in two standard sizes or it can be custom made to length in runners or to shape to fit into a specific area.



FEATURES

- Soft rubber formula provides relief and comfort when standing
- Raised squares on mat surface provides a flat standing surface
- Rippled patterned mat surface gives Mat extra traction
- Non trip bevelled edges for added safety and reduces the chance of tripping on mat edges
- Drainage holes around Mat perimeter allows removal of any spilt liquids
- Available with black or yellow safety borders
- HACCP certified for use in wet or dry areas

SIZES:

600 x 900mm
900 x 1200mm
Runner widths 600, 900, 1200mm
Custom sizes available

COLOURS: Black or Black with yellow border

Ultra Stand

The Ultra Stand Mat is a heavy duty anti-fatigue Mat used very high use situations. The full nitrile rubber Mat is made with a thick, soft foam formula. Its lightly textured top and bottom surface gives the Mat unparalleled traction for users and for floor adhesion. The unique rubber compound the Ultra Stand is made from is chemical, grease, and oil proof and the mat has anti-microbial additives added to resist the growth of bacteria on the surface of this closed cell foam mat. Bevelled edges on all four sides greatly reduces the risk of trips on the mat edges. This mat is suitable for use in dry or wet environments, where there is high traffic and heavy use. This product is stocked in two standard sizes



FEATURES

- Extremely soft foam rubber provides outstanding relief and comfort
- Lightly textured nitrile rubber surface gives mat great traction on top for the user and excellent floor adhesion on the base
- The closed cell foam structure does not allow liquids to penetrate into the mat
- Made from nitrile rubber which is grease and oil proof
- Anti-microbial rubber formula resists the growth of bacteria on the mat surface

- Non trip bevelled edges eliminate trips on mat edges
- Easy to clean – mat can be machine washed or autoclaved
- Very lightweight so can be moved around easily

SIZES:

600 x 900mm
900 x 1500mm

COLOURS: Black or Black with yellow border




VIEW PRODUCTS

Cushion Tread

Cushion Tread Mat is a heavy duty, anti-slip, anti-fatigue Mat used demanding work areas. Its 100% nitrile rubber construction gives the Mat extra longevity and is grease and oil proof. The ripple patterned surface provides good traction when the mat is being walked on, and the large holes allow for rapid drainage of any spilt liquids. Gripping suction feet on the base of the Mat keep the Mat firmly anchored to even a wet floor. Bevelled edges on all four sides allow easy access on and off for foot or wheeled traffic and prevent trips. This mat is suitable for use in wet or dry areas, with heavy use, where comfort, relief and traction is needed. This product is stocked in one standard size.

FEATURES

- Soft rubber compound provides relief and comfort when standing
- Rippled patterned surface provides excellent traction, decreasing the risk of slips
- Non trip bevelled edges are safe and suitable for trolley wheels
- Large holes allow rapid drainage of spilt liquids
- Made from 100% nitrile rubber which makes the Mat grease proof
- Anti-microbial formula discourages the growth of microbes and bacteria on the mat surface
- Lightweight and easy to handle
- Easy to clean – can be machined washed or due to its simple near flat top surface design can be brushed, hosed mopped or steam cleaned easily and effectively



SIZES:
960 x 1560mm

COLOURS: Black

Comfort Clean

The Comfort Clean Mat is a heavy duty, anti-slip, anti-fatigue Mat used demanding work areas. Its 100% nitrile rubber construction gives the Mat extra longevity and is grease and oil proof. The raised dog bone shaped patterned surface provides excellent traction when the mat is being walked on, and the large holes allow for rapid drainage of any spilt liquids. Two-directional feet on the base of the Mat keep the Mat firmly anchored to even a wet floor. Bevelled edges on all four sides allow easy access on and off for foot or wheeled traffic and prevent trips. This mat is suitable for use in wet or dry areas, with heavy use, where comfort, relief and traction is needed. This product is stocked in four standard sizes.

FEATURES

- Soft rubber compound provides relief and comfort when standing
- Multidirection patterned surface provides excellent traction, decreasing the risk of slips
- Non trip bevelled edges are safe and suitable for trolley wheels
- Large holes allow rapid drainage of spilt liquids
- Made from 100% nitrile rubber which makes the Mat grease proof
- Anti-microbial formula discourages the growth of microbes and bacteria on the mat surface
- Lightweight and easy to handle
- Easy to clean – can be machined washed or due to its simple groove less design can be brushed, hosed or steam cleaned effectively
- HACCP certified for use in wet or dry areas.



SIZES:
570 x 850mm
850 x 1440mm
1080 x 1690mm
850 x 2700mm

COLOURS: Black

Engineers Mat

The Engineers Mat is a medium duty, 100% natural rubber, anti-slip, comfort Mat used high use situations. The honeycombed patterned surface provides traction when the mat is being walked on, and the large holes allow for rapid drainage of any spilt liquids and the containment of dropped metal shavings. This mat is suitable for use in wet or dry areas, with heavy use, where comfort, relief and traction is needed. This product is stocked in one standard size and comes either block sided or as a bevelled edged option, to allow easy access on and off for foot or wheeled traffic and to prevent trips.

FEATURES

- Soft rubber compound provides relief and comfort when standing
- Honeycombed patterned surface provides good traction, decreasing the risk of slips
- Increased thickness of Mat allows for swarf and metal shavings to drop into the deep holes and keep the person standing on the mat out of them
- Non trip bevelled edge option reduces the risk of tripping on Mat edges and is suitable for trolley wheels
- HACCP certified for use in wet or dry areas



SIZES:
1000 x 1500mm

COLOURS: Black or Black with yellow border

Safety Cushion

Safety Cushion Mat is a medium duty, 100% natural rubber, anti-slip, comfort Mat used medium use situations. The honeycombed patterned surface provides traction when the mat is being walked on, and the large holes allow for rapid drainage of any spilt liquids. Bevelled edges on all four sides allow easy access on and off for foot or wheeled traffic and prevent trips. This mat is suitable for use in wet or dry areas, with medium use, where comfort, relief and traction is needed. This product is stocked in two standard sizes or it can be made to measure if required to fit into a specific area.


FEATURES

- Soft rubber compound provides relief and comfort when standing
- Honeycombed patterned surface provides good traction, decreasing the risk of slips
- Non trip bevelled edges are safe and suitable for trolley wheels
- Large holes allow rapid drainage of spilt liquids

- HACCP certified for use in wet or dry areas

SIZES:

600 x 900mm
900 x 1500mm
Custom sizes available



COLOURS: Black or Black with yellow border

Safety Cushion - Grease Proof

Safety Cushion Mat is a medium duty, 100% natural rubber, anti-slip, comfort Mat used medium use situations. The honeycombed patterned surface provides traction when the mat is being walked on, and the large holes allow for rapid drainage of any spilt liquids. Bevelled edges on all four sides allow easy access on and off for foot or wheeled traffic and prevent trips. This mat is suitable for use in wet or dry areas, with medium use, where comfort, relief and traction is needed. This product is stocked in two standard sizes or it can be made to measure if required to fit into a specific area.


FEATURES

- Soft rubber compound provides relief and comfort when standing
- Honeycombed patterned surface provides good traction, decreasing the risk of slips
- Non trip bevelled edges are safe and suitable for trolley wheels
- Large holes allow rapid drainage of spilt liquids

- Made from 50% nitrile rubber which makes the Mat grease proof
- HACCP certified for use in wet or dry areas.

SIZES:

600 x 900mm
900 x 1500mm
Custom sizes available



COLOURS: Terracotta (Grease Proof)

Maxi Grip

Maxi Grip Mat is an extremely durable, heavy duty, anti-slip Mat used in high traffic areas and situations. The raised disc patterned surface along with the hundreds of finger like embedded grippers give the Mat unparalleled traction for people using them. It is made from 100% nitrile rubber which is extremely flexible, yet durable, and will resist the damaging effects from common chemicals, fats, greases and oils. Being low profile, the Mat is ideally suited to busy work areas and walkways where there is risk of tripping and where there is a pressing need for increased traction. This product is stocked in three standard sizes.

FEATURES


- Raised discs and grippers on surface provides unparalleled traction, decreasing the risk of slips
- Extremely low profile which makes the Mat safe by reducing the risk of tripping
- Made from 100% nitrile rubber which resists the damaging effects from fats, greases, oils and common chemicals
- Easy to clean – can be brushed, hosed

or pressure cleaned, or even machine washed

- Reversible – can be used on either side
- HACCP certified for use in wet or dry areas.

SIZES:

900 x 1500mm
900 x 3000mm
1200 x 1800mm



COLOURS: Black



**Can't find what you are after?
Give us a call (02) 6332 1111**

MODULAR SAFETY MATS

Comfort Clean Modular

The Comfort Clean Modular Mat is a heavy duty, anti-slip, anti-fatigue Mat used demanding work areas. Its 100% nitrile rubber construction gives the Mat extra longevity and is grease and oil proof. This Mat comes in interlocking pieces which lock together to form a desired length runner and then come apart easily to allow for cleaning. The raised dog bone shaped patterned surface provides excellent traction when the mat is being walked on, and the large holes allow for rapid drainage of any spilt liquids. Two-directional feet on the base of the Mat keep the Mat firmly anchored to even a wet floor. Bevelled edges on all four sides allow easy access on and off for foot or wheeled traffic and prevent trips. This mat is suitable for use in wet or dry areas, with heavy use. This product is stocked in one standard size and comes in two different modules – end piece, and centre piece.



FEATURES

- Modules join together easily
- Mats come apart easily for cleaning or modifying purposes
- Soft rubber compound provides relief and comfort when standing
- Dog boned patterned surface provides excellent traction
- Non trip bevelled edges are safe and suitable for trolley wheels
- Large holes allow rapid drainage of spilt liquids
- 100% nitrile rubber which makes the Mat grease proof

- Anti-microbial formula
- Lightweight and easy to handle
- Easy to clean – can be machined washed or due to its simple groove less design can be brushed, hosed or steam cleaned effectively
- HACCP certified for use in wet or dry areas

SIZES:


970 x 930mm (centre)

970 x 950mm (end)

COLOURS: Black

Comfort Link Modular

Comfort Link Modular is a heavy duty, modular system used in high traffic situations. This Mat comes in interlocking pieces which lock together and then come apart easily to allow for cleaning. The soft rubber formula provides relief and comfort from constant standing. Comfort Link Holed comes with large holes to allow rapid drainage of any spilt liquids, keeping the Mat surface dry. It is made from a 50/50 split of natural and nitrile rubber which gives the Mat extra longevity and grease and oil resistance. Non trip safety edges are available as an option for all four sides of the Mat and they come in a yellow option to increase visibility of mat warning of potential hazards. This mat is suitable for use in wet or dry, high use environments where comfort, relief and traction is needed from standing on a hard and wet surface.



FEATURES

- Available with and without holes, grease-proof, and grit top versions
- Modules join together easily and quickly
- Mats come apart easily for cleaning or modifying purposes
- Soft rubber formula provides relief and comfort when standing
- Large holes allow the rapid drainage of spilt liquids
- Non trip bevelled edges are available as

an option for added safety

- Available with yellow safety borders to warn of potential hazards
- Can be configured with any other product from the 'Comfort Link' range

SIZES:

Tile - Holed 900 x 900mm

Edge – Female 900 x 75mm

Edge – Male 900 x 75mm

Corner + Edge – Female 975 x 75mm

Corner + Edge – Male 975 x 75mm

COLOURS: Black (optional yellow edging)
Grease-proof - Terracotta

Solid Top Anti-Fatigue

The Solid Top Anti-fatigue Mat is a medium duty, modular system used in medium traffic situations. This Mat comes in interlocking pieces which lock together to form a desired length runner and then come apart easily to allow for cleaning. The embossed checker plate surface pattern provides good traction when the mat is being walked on. The soft rubber formula provides relief and comfort from constant standing on a hard concrete surface. Bevelled edges on all four sides allow easy access on and off for foot or wheeled traffic and prevent trips. This product is stocked in one standard size and comes in three different modules – end piece, (edges on three sides and 1 side jigsaw), centre piece (edges on two sides and joiners on the other two) and single (bevelled edges all four sides)



FEATURES

- End and centre modules join together easily and quickly to form a desired length
- Mats come apart easily for cleaning or modifying purposes
- Checker plate patterned top provides a non-slip walking surface
- Non trip bevelled edges are safe and

suitable for trolley wheels

SIZES:

End 700 x 800mm

Centre 700 x 800mm

Single 700 x 800mm

COLOURS: Black

SPECIALTY MATS

Boot Dip Mat

The Boot Dip Mat featuring raised walls is designed to hold anti-germ detergent or any liquid for hygienic cleaning in food preparation areas and any other clean areas to prevent dirt, debris and other particles brought in on footwear from being spread through a building. Constructed in one piece from natural rubber this tough product will withstand the demands of constant use and mild chemicals. Hundred of bristles in the base of the mat encourage boot cleaning whilst trapping dirt. The Boot Dip Mat has yellow edges for high visibility. This product is designed with a cross grip rear design which firmly holds the mat to the floor. Boot Dip Mat is HACCP certified.



FEATURES

- Hundreds of bristles encourage boot cleaning whilst trapping dirt
- Raised walls to hold anti-germ detergent or any liquid for hygienic cleaning
- Yellow edges for high visibility
- Cross grip rear design firmly holds the mat on the floor
- HACCP certified

SIZES:

980 x 810 x 47mm

COLOURS: Black with yellow

Tacky Mat

Tacky Mat (30 sheet pad) is designed to attract and contain dust and dirt from footwear to prevent it from being brought into clean rooms, laboratories, surgical rooms, medical offices and the similar. Available in 30 disposal sheet pads, the anti-microbial adhesive surface holds onto particles as people walk over the mats and retains the particles on the top of the mat until the sheet has reached its capacity. The separate sheets can be easily torn off and disposed of, which prevents contamination in sensitive areas. Available in blue or clear, Tacky Mat comes in two sizes – 610 x 915mm and 903 x 1145mm and both sizes are 3.5mm thick.



FEATURES

- Designed to attract and contain dust and dirt
- Effectively removes dirt from shoes and castors
- Anti-microbial surface is perfect for clean rooms, laboratories, surgical rooms and medical offices
- Simply peel off sheet when contaminated
- Available in 30 disposable sheet pads

SIZES:

600 x 900mm (Blue)
600 x 900mm (Clear)
915 x 1143mm (Blue)
915 x 1143mm (Clear)

COLOURS: Blue or Clear

Dura Step Weldsafe

Dura Step Weldsafe Mat is a heavy duty anti-fatigue Mat used for welding and other heavy use situations. The 100% nitrile rubber Mat is a two part system, with the flexible raised diamond patterned surface gives the mat excellent anti-slip properties and is easy to clean, while the soft foam on the underside is what gives the mat its unique comfortable standing surface. Bevelled edges on all four sides allow easy access on and off for foot or wheeled traffic and prevent trips. The grippy PVC foam underside allows the mat to sit steady on hard floor surfaces or low pile carpet. This mat is suitable for use in dry or light wet, high use environments where extreme comfort and relief is needed from standing on a hard surface. This product is stocked in two standard sizes, three standard runner widths or it can be made to measure if required to fit into a specific area



FEATURES

- Weld Safe
- Soft nitrile rubber foam underside provides relief and comfort when standing
- Raised diamond patterned surface gives excellent traction
- Made from nitrile rubber which is grease and oil proof
- Non trip bevelled edges are safe and suitable for trolley wheels
- Smooth surface is easy to clean

- Mat can easily be cut or modified to shape and size
- HACCP certified for use in dry areas

SIZES:

600 x 850mm
850 x 1500mm
Runner widths 580, 850, 1180mm
Custom sizes available

Colours: Black or Black with Chevron border



VIEW PRODUCTS

Welding Mat

Welding Mat is specially designed to resist welding flux and grinding sparks of 1300 to 1500 centigrade for less than 3 seconds. Made from a unique rubber compound, Welding Mat offers excellent durability and high resistance on the surface for load bearing characteristics. This product is ideal for use in both greasy and dry environments. Welding Mat reduces fatigue to the back and legs during times of prolonged standing. The chequer plate design on the surface is non-slip. Welding Mat is available in three configurations, a single mat 700 x 800mm or in interlocking end and centre pieces 700 x 800mm. The interlocking design makes this product versatile as any length can be achieved by simply clicking the pieces together.


FEATURES

- Specially designed to resist welding flux and grinding sparks of 1300 to 1500 centigrade for less than 3 seconds
- Excellent durability and highly resistant surface for load bearing characteristics
- Can be used in both greasy and dry environments

- Reduces fatigue during prolonged standing
- Chequer plate design provides a non-slip surface

SIZES:

700 x 800mm centre
700 x 800mm end
700 x 800mm single



Colours: Black

Softstat Dissipative

Softstat Dissipative is comfortable and ergonomically styled non-slip anti-fatigue matting designed to provide comfort and relief for aching feet and legs, and also helps prevent damaging equipment from static electricity. It is used in walk areas in touch with static sensitive equipment or flammable substances. Constructed from 100% closed cell foam, Softstat Dissipative Matting can be easily cut to fit any work area. Available in a roll length 900mm wide, this product also comes in two standard sizes – 600 x 900mm & 900 x 1500mm. RTT – 104 – 105 ohms. RTG – 104 – 105 ohms. Optional grounding cord is available, and snap will be installed on all stock mats if requested.


FEATURES

- Ergonomically styled anti-fatigue matting designed to provide comfort and relief for aching feet and legs.
- Mat provides comfort for workers while protecting equipment from static electricity
- RTT - 104 - 105 ohms. RTG - 104 - 105 ohms
- 100% closed cell PVC foam - Materials can easily be cut to fit any work area

- Bevelled edges on all mats.
- Optional grounding cord available - Snap will be installed on all stock mats if requested.

SIZES:

900mm runner
600 x 900mm
900 x 1500mm



Colours: Black

Optional Grounding Cord

Conductive Diamond Foot

Conductive Diamond Foot removes static electricity from workers preventing damage to sensitive electronic equipment and systems as well as providing a non slip surface. Constructed from durable electrically conductive PVC surface NGB bonded to a resilient anti-fatigue closed-cell PVC foam base, this product comes with bevelled edges for increased safety. RTT – 108 – 109 ohms. RTG – 108 – 109 ohms. Available in a roll length 900mm wide, this product also comes in two standard sizes – 600 x 900mm & 900 x 1500mm and can be custom made to a required length. Optional grounding cord is available, and snap will be installed on all stock mats if requested.

FEATURES

- Durable electrically conductive PVC Surface NGB bonded to a resilient anti-fatigue close-cell PVC foam base.
- Conductive diamond surface removes static electricity from workers preventing damage to sensitive electronic equipment and systems as well as providing a comfortable, non slip surface.
- RTT - 108 - 109 ohms. RTG - 108 - 109 ohms.

- Beveled edges for increased safety.
- Optional grounding cord available. Snap will be installed on all stock mats if requested.

SIZES:

900mm runner
600 x 900mm
900 x 1500mm



Colours: Black

Optional Grounding Cord

Cable Safe

Cable Safe is a dual purpose entrance/safety mat which is available in a plain charcoal colour or black with a safety chevron edge. Constructed with a nylon surface on a nitrile rubber back, this mat will protect important cables whilst sitting flat on the floor. On the underside of the mat is a wide channel which allows for cables to pass through, preventing trips and falls in the workplace. Cable Safe mats are 500mm wide, 1000mm long and 14mm thick. Ideal for medium to heavy traffic, this mat is essential for preventing down time and expensive from damaged cables. Cable Safe is easy to maintain with a regular vacuum.


FEATURES

- Safe and effective way to eliminate tripping on cords
- Protects cables against damage in the workplace
- Specially formulated backing won't slip on any floor

- Available in Charcoal or Black with Yellow Safety Borders
- Dual purpose entrance/safety mat

SIZES:

500 x 1000mm



Colours: Charcoal or Black with Yellow Safety Borders

Cable Protector

The Cable Protector is a heavy duty plastic cover which is designed to protect cables from damage by foot and light wheeled traffic. The Cable Protector contains three channels which can hold up to 4 power, data or phone leads and will save you frustration, time and money from the hassle a damaged cable can cause. Constructed from durable PVC, the Cable Protector sits flat on the floor and will not curl or cause a trip hazard in the workplace. The 2.5m length, which could be cut easily if required, makes this product very versatile for many different areas of use.

FEATURES

- Protects cables and cords from damage by foot traffic and trolleys
- 2.5m length can be easily cut if needed
- Made from durable PVC
- Easy to clean – just wipe with a damp cloth

- Ideal for use in commercial and industrial situations

SIZES:

68 x 2500mm



Colours: Black

Clean Loop Unbacked


The Clean Loop Unbacked Mat is a light weight, yet heavy duty Mat which is used in high traffic situations. This Mat has two main functions – Anti-slip Mat for wet areas, or as a commercial outdoor entrance scraper Mat. The PVC loops on the surface of the mat provides a soft and comfortable walking surface, even with bare feet. The open design structure allows the Mat to quickly drain, leaving the top of the Mat dry and non-slip. When use as a mud and dirt scraping entrance Mat, the multi leveled loops reach up into the grooves on footwear, dislodging embedded particles and then hides it within the Mat, out of sight and away from where it is likely to be tracked by the next person using the Mat. The non-skid backing prevents the mat from 'walking' on hard surfaces. Clean Loop is UV resistant and can be used both indoors and outdoors situations. It comes in one standard sized runner width, or it can be custom made to measure. Custom sized mats can be either edged with a ramped black PVC Border where tripping is a concern, or left un-edged

FEATURES

- Can be used indoors or outdoors
- Soft, spongy loop design provides a comfortable and non-slip walking surface
- Firm PVC loops give a powerful scrub to the base of footwear
- Open design allows quick drainage leaving the top of the Mat dry
- Collects dirt and debris from footwear and hides it from sight
- Easy to clean – can be hosed, shaken or vacuumed out

SIZES:

1200mm wide - custom sizing



Colours: Black, Blue or Grey



VIEW PRODUCTS

Safeguard


The Safeguard anti-slip Mat is a light weight, yet heavy duty Mat which is used in medium traffic situations. The raised zig zag patterned topside of the mat provides excellent traction. The open design structure allows the Mat to quickly drain, leaving the top of the Mat dry and non-slip. Safeguard Matting is UV resistant and can be used both indoors and outdoors situations. It comes in one standard sized runner width, or it can be custom made to measure. Custom sized mats can be either edged with a ramped black PVC Border where tripping is a concern, or left un-edged

FEATURES

- Can be used indoors or outdoors
- Firm yet comfortable feel provides a comfortable walking surface
- Zig zag design gives excellent traction
- Open design allows quick drainage leaving the top of the Mat dry

- PVC formula is chemical, grease and oil resistant
- Easy to clean – can be hosed, pressure washed and scrubbed

SIZES:
900 x 1500mm



Colours: Grey

Bar Runners

Constructed with a nylon carpet surface bonded to a nitrile rubber backing, Bar Runners are extremely absorbent and they will always sit flat on the surface on which they are placed. The nitrile rubber backing and edges will not crack or curl, and ensure your counter top will be protected from drips and spills. Bar Runners are fully machine washable and can be tumble dried. Available in a choice of four standard colours – Burgundy, Blue, Green and Black, there is a bar runner to match any bar décor. Bar Runners are suited to heavy usage, have a classy look and are suitable for any situation from a small home bar to a busy nightclub.


FEATURES

- Highly moisture absorbent surface
- Nitrile rubber backing
- Machine washable and can be tumble dried
- A selection of four classy standard colours

SIZES:
900 x 250mm
1500 x 250mm

Colours: Black, Green, Burgundy
Blue

Printed options available



Access Ramps

Access Ramps are tough, recycled rubber wedges used to assist pedestrians, wheelchairs and light trolleys in gaining easy access to buildings by installation next to steps. Constructed from highly compressed recycled rubber sourced from recycled car tyres, Access Ramps are very sturdy, functional and environmentally friendly. Access ramps are easy to install, are maintenance free and can be trimmed to required sizes. Available in four standard sizes 900 x 200 x 25mm, 1067 x 305 x 32mm, 1270 x 457 x 44mm & 1524 x 610 x 55mm, Access Ramps can also be custom made to your measurements. This product is easy to clean by hosing or wiping down with a damp cloth.

FEATURES

- Easy installation
- Reduces trip hazards on steps
- Maintenance free
- Environmentally friendly – made from recycled rubber
- Four standard sizes

SIZES:
900 x 200 x 25mm
1067 x 305 x 32mm
1270 x 457 x 44mm
1524 x 610 x 55mm

Colours: Black



➔ **Can't find what you are after?
Give us a call (02) 6332 1111**

INSERTION & STRIP INSERTION RUBBER

Insertion Rubber - 2 Ply Cotton Reinforced

Natural Cotton Insertion Rubber Sheet is made from a premium rubber compound and will display moderate resistance to abrasion. Natural Cotton Insertion is reinforced with a cotton fabric which gives improved dimensional stability. Natural Insertion has good physical properties including cut and tear resistance. It has ozone/UV resistance making it weather resistant and suitable for outdoor use. It will also display resistance to some mild chemicals, including acids and alkalis.

FEATURES

- Made from quality Natural Rubber (NR)
- Reinforced ply for high tear resistance
- Hard wearing and easy to clean
- UV stabilized
- Available in multi ply & size options
- Also available with Nylon Insertion

INSERTION RUBBER SHEET

10m Rolls - Roll Width: 1200mm
 Thicknesses: 1.5mm, 3mm, 4.5 mm, 6.0mm , 9.0mm

STRIP INSERTION RUBBER

Widths: 25mm, 50mm, 75mm, 100mm, 150mm, 200mm, 250mm, 300mm
 Thicknesses: 1.5mm, 3mm, 4.5 mm, 6.0mm , 9.0mm



Insertion Rubber - Nylon Reinforced (PN250)

Nylon Insertion Rubber Sheet is made from a premium rubber compound and will display moderate resistance to abrasion. Natural Nylon Insertion is reinforced with a nylon monofilament fabric which gives improved tear strength and dimensional stability. Natural Insertion has good physical properties including cut and tear resistance. It has ozone/UV resistance making it weather resistant and suitable for outdoor use. It will also display resistance to some mild chemicals, including acids and alkalis.

FEATURES

- Made from quality Natural Rubber (NR)
- Reinforced ply for high tear resistance
- Hard wearing and easy to clean
- UV stabilized
- Available in multi ply & size options
- Also available with Cotton Insertion

INSERTION RUBBER SHEET 3mm

10m Rolls - Roll Width: 1200mm
 Thickness: 3mm

INSERTION RUBBER SHEET 6mm

10m Rolls
 Roll Widths: 300mm, 400mm, 600mm, 1200mm
 Thickness: 6mm



Nitrile (Grease & Oil Resistant) Insertion Rubber

Nitrile Insertion is made from a premium Nitrile rubber compound and will display excellent resistance to oil and petroleum-based products including a range of fuels, greases, solvents and hydraulic fluids. Nitrile Insertion is reinforced with a nylon monofilament fabric which gives improved tear strength and dimensional stability. Nitrile Insertion has low gas permeability and will display good water resistance. It is also resistant to mineral oils and a range of aliphatic hydrocarbons. It has excellent physical properties including mechanical strength and abrasion resistance. It will also display good temperature resistance and moderate chemical resistance to some acids and alkalis.

FEATURES

- Made from a premium Nitrile rubber compound
- Reinforced ply for high tear resistance
- Hard wearing and easy to clean
- Excellent resistance to oil and petroleum-based products

RUBBER SHEET

10m Rolls and sold by the metre
 Roll Widths: 300mm, 1200mm
 Thickness: 3mm



Other products available on request

- Ventillated Nylon Insertion
- Skirting Rubber
- EPDM Rubber
- White FDA EPDM
- Butyl
- Hypalon
- Pure Gum
- Red Natural
- Chutex Pink & Black
- Food Grade Rubber

ROLL RUBBER MATTING

Big Rib


Big Rib Matting is made from a blended Natural rubber compound. It has moderate physical properties including mechanical strength and abrasion resistance. Big Rib Matting features an anti-slip wide rib profile on the top surface.

FEATURES

- Big Rib anti slip rubber matting is designed for use in commercial and industrial locations, ideal for a floor covering, use on ramps/steps or cut to size.
- Matting is oil and spill resistant and features anti slip qualities.
- Hard wearing natural rubber, easy to clean and maintain and available in different width sizes.
- UV Stabilised Styrene Butadiene Rubber.

SIZES

10m Rolls and available in:
Thickness 3.5mm x 1500mm wide
Thickness 5.0mm x 1500mm wide
Thickness 5.0mm x 2000mm wide




Fine Rib

FEATURES

- Fine rib anti slip rubber matting is designed for use in commercial and industrial locations, ideal for a floor covering, use on ramps/steps or cut to size.
- Matting is oil and spill resistant and features anti slip qualities.
- Hard wearing natural rubber, easy to clean and maintain and available in different width sizes.

SIZES

10m Rolls and available in:
Thicknesses: 3.5mm, 5.0mm
Width: 1500mm



Stud Matting

Stud Matting is made from a blended Natural rubber compound. It has moderate physical properties including mechanical strength and abrasion resistance. Stud Matting is a rubber mat with a snake skin studded profile surface finish.

SIZES

10m Rolls and available in:
Thickness: 4.5mm
Width: 1500mm



Checker Plate Roll Rubber

Checker Plate anti slip rubber matting is designed for use in commercial and industrial locations, ideal for a floor covering, use on ramps or cut to size. Matting is oil and spill resistant and features anti slip qualities. Hard wearing natural rubber, easy to clean and maintain and available in different width sizes. UV Stabilised Styrene Butadiene Rubber.

SIZES

10m Rolls and available in:
Thickness 3.5mm x 1500mm wide
Thickness 5.0mm x 1500mm wide



**Can't find what you are after?
Give us a call (02) 6332 1111**

Anti Slip Load Matting

Load mat is a black premium grade, durable, solid rubber matting intended for use as an anti-slip rubber load restraint device in transport. Designed for bearing higher loads and heavier duty applications, it has an anti-slip finish on both sides, which increases the coefficient of friction between the load carrying surface and the load itself to assist with load securing.

FEATURES

- Anti-slip rubber load restraint device in transport
- Designed for bearing higher loads.

SIZES

10m Rolls and available in:
Thicknesses: 5mm & 8mm
Width: 1200mm



Natural Rubber Matting

Natural rubber is a black, premium grade, abrasion and impact resistant, highly elastic premium grade 60 Duro natural rubber sheet. It has excellent mechanical strength and is both flexible and resilient with high cut and tear resistance, making it suitable for sealing, bearing or isolating applications and anti-vibration. High grade natural 60 is UV stable and is resistant to ozone effects and weathering and has excellent load bearing capabilities and shear strength. Varied industry applications including mineral processing, livestock & agriculture, construction & power generation.

FEATURES

- Premium grade
- Both flexible and resilient
- UV stable and is resistant to ozone effects and weathering

SIZES

10m Rolls and available in:
Thicknesses: 1.6mm, 3.2mm, 4.8mm and 6.4mm
Width: 1200mm



Softstat Dissipative (Roll)

Softstat Dissipative is comfortable and ergonomically styled non-slip anti-fatigue matting designed to provide comfort and relief for aching feet and legs, and also helps prevent damaging equipment from static electricity. It is used in walk areas in touch with static sensitive equipment or flammable substances. Constructed from 100% closed cell foam, Softstat Dissipative Matting can be easily cut to fit any work area. Optional grounding cord is available.

FEATURES

- Ergonomically styled anti-fatigue matting designed to provide comfort and relief for aching feet and legs.
- Mat provides comfort for workers while protecting equipment from static electricity
- RTT - 104 - 105 ohms. RTG - 104 - 105 ohms
- 100% closed cell PVC foam - Materials can easily be cut to fit any work area

- Optional grounding cord available - Snap will be installed on all stock mats if requested.

SIZES

10m Rolls and available in:
Thicknesses 3.0mm, 4.0mm, 5.0mm



VIEW PRODUCTS

Ute Mat /Tray Liner

- Versatile anti-slip Matting
- Comfortable surface with drainage holes
- Raised back to enhance drainage
- Ideal for utes, factories, vans, workshops

SIZES

10m Rolls and available in:
Thickness 10mm x 1830mm wide



Easimat Equine Rubber flooring

This stable floor mat will improve horse comfort and help reduce your rising bedding costs. Each mat is manufactured from EVA foam rubber, which provides an extremely comfortable bed for your horse so you can safely reduce straw or wood shaving bedding without compromising your horse's comfort. The top surface has anti-slip tear shaped bubbles to aid grip, with raised disks on the bottom surface designed to aid drainage when fitted in place.

FEATURES

- Reduces dust in stable resulting in fewer respiratory disorders
- Lightweight, can easily lift to clean
- Does not retain moisture or bacteria
- Anti Fatigue properties - protect against injury

SIZES

6ft x 4ft (1.82m x 1.22m)
34mm thick.



Horse Float Matting

Equine rubber floor matting is a premium grade, durable and impact resistant synthetic rubber designed for use as a nonslip floor matting for horse floats, transport trucks and stables. Supplied with a turtle-back finish on the top surface for anti-slip assurance even when wet and is reinforced with a heavy nylon fabric to give it superior tear resistance. Equine rubber floor matting is also insulating and anti-fatigue, reducing the need for extra bedding in stalls and will reduce fatigue to horses in areas where they stand for long periods of time. Equine rubber floor matting is supplied with a textured fabric finish on the underside to allow for easy bonding to floors but is also heavy enough to lay flat when simply rolled out into position.

FEATURES

- Premium grade
- Reinforced and non-slip
- Creates a dust-free environment.

SIZES

10m Rolls and available in:
Thicknesses: 8.0mm & 10mm
Width: 2000mm



Surefoot® Mat

The SureFoot® mat is ideally suited for use in those extreme conditions when slippage may occur.

FEATURES:

- The larger diamond pattern helps provide a secure footing in and around wet areas and steep inclines, reducing slippage.
- The Surefoot® mat is manufactured using a hard wearing and extremely durable rubber compound which has been especially formulated for this purpose.
- The compound blend of recycled and new virgin rubbers also features superior shock absorbing properties which provides outstanding protection for animals.

SIZES:

Thickness 18mm
Length 1830mm
Width 1220mm
Weight 50kg per mat
Material Rubber (shore hardness 65+2)
Installation holes 16 per mat
Method of fixing: Concrete fasteners; steel fasteners or timber fasteners.



Horse Float & Truck Tailgate Matting

- Comfortable flooring for animals to stand and lie down.
- Thick rubber mass provides comfort and fatigue-relief.
- Creates a dust-free environment.
- Grooved bottom for effective drainage.
- Non porous surface will not absorb moisture and helps prevent bacterial & germ growth.

SIZES

Horse Float Tailgate Mat - 1750 x 1550 x 13 (mm)
Truck Tailgate Mat - 2400 x 1200 x 24 (mm)



Cab Flooring

Heavy machinery Cab flooring is a heavy duty PVC flooring suitable for heavy machinery and trucks, it has a sound reducing foam backing which reduces cabin noise and because of the heavy weight doesn't move around easily

- Can be fixed or loose layer.
- Textured, non slip surface.
- Easy to cut and install.

SIZES

Rolls and available in: Width: 1.4m
Weight: 8kg/m²




Gym Matting

Gym matting providing comfort & cushioning for all kinds of personal & commercial applications.

SIZES

10m Rolls and available in:
Thicknesses: 8.0mm, 9.0mm
Width: 1250mm




CHAIR TIPS & CLOSURES

Rubber Chair Tips

Protects hard floors and carpets and helps prevent chairs and furniture sliding on hard surfaces plus reducing noise. Available in a range of sizes and made from a dense, durable rubber. Available in white and heavy duty upon request.


Product Code	Colour	Diameter (A)	Height (B)	Pack size
31010	black	6mm	15mm	4
31015	black	10mm	19mm	4
31020	black	13mm	20mm	4
31025	black	16mm	27mm	4
31030	black	19mm	24mm	4
31035	black	22mm	27mm	4
31040	black	25mm	29mm	4
31045	black	28mm	32mm	4
31050	black	32mm	38mm	4
31055	black	35mm	35mm	4
31060	black	38mm	38mm	4



Plastic Chair Tips

A great solution to protect floors and reduce noise when moving chairs and furniture. Fits a wide range of furniture including chairs, tables, stools and more. Made from a durable plastic and available in a range of sizes. Standard colour is black, available in white on request.


Product Code	Colour	Tube dia (A)	Base dia	Height (B)	Pack size
14010	black	6	9	10	4
14015	black	8	10	12	4
14020	black	10	12	16	4
14025	black	13	16	17	4
14030	black	16	17	17	4
14035	black	19	20	22	4
14040	black	22	23	23	4
14045	black	25	28	22	4
14050	black	28	32	25	4
14055	black	32	36	32	4



VIEW PRODUCTS

Internal Square Closures

Internal fitting Square Plastic Tube Closures made from durable plastic and in a range of sizes. Available in black (White available on request)



Product Code	Colour	Size (A)	Wall (b)	Pack size
21010	black	13 mm	1.6 mm	100
21015	black	16 mm	1.6 mm	100
21020	black	19 mm	1.6 mm	100
21025	black	20 mm	1.6 mm	100
21030	black	22 mm	1.6 mm	100
21035	black	22 mm	3.5 mm	100
21040	black	25 mm	1.6 mm	100
21045	black	25 mm	3.0 mm	100
21050	black	30 mm	1.6 mm	100
21055	black	30 mm	2.5 mm	100
21060	black	32 mm	1.6 mm	100
21065	black	32 mm	1.6 mm	100
21070	black	35 mm	1.6 mm	50
21075	black	35 mm	3.0 mm	50
21080	black	38 mm	1.6 mm	50
21085	black	38 mm	3.0 mm	50
21090	black	40 mm	1.6 mm	50
21095	black	40 mm	3.0 mm	50
21100	black	40 mm	2.6-4.0 mm	50
21105	black	41 mm	1.6 mm	50

Product Code	Colour	Size (A)	Wall (b)	Pack size
21110	black	44 mm	1.6 mm	50
21115	black	45 mm	3.0 mm	50
21120	black	50 mm	1.6 mm	25
21126	black	50 mm	2.5 mm	25
21130	black	50 mm	3.2-5.0 mm	25
21135	black	60 mm	3.5 mm	10
21140	black	60 mm	3.2-5.0 mm	10
21145	black	65 mm	2.0-4.5 mm	10
21150	black	70 mm	3.2-5.0 mm	10
21155	black	75 mm	2.0-4.5 mm	10
21160	black	80 mm	2.0-4.0 mm	10
21165	black	90 mm	2.0-5.0 mm	10
21170	black	90 mm	3.6-6.3 mm	10
21175	black	100 mm	1.0-4.0 mm	10
21180	black	100 mm	4.0-6.3 mm	10
21185	black	110 mm	4.0 mm	10
21190	black	125 mm	4.0-7.0 mm	10
21195	black	150 mm	5.0-8.0 mm	10
21200	black	150 mm	10.0-12.5 mm	10

Rubber Handle Grips


Durable and made from a grippy rubber compound our handle grips are available in 3 sizes, in black only.

Product Code	Colour	Internal Diameter
39010	black	16mm
39015	black	19mm
39020	black	22mm



Internal Rectangular Closures

Internal fitting Rectangular Plastic Tube Closures made from durable plastic and in a range of sizes. Available in black only.



Product Code	Colour	Width (A)	Length (B)	Wall (b)	Pack size
23010	black	13 mm	25 mm	1.6mm	50
23015	black	20 mm	35 mm	1.6mm	50
23020	black	19 mm	38 mm	1.6mm	50
23025	black	25 mm	38 mm	1.6mm	50
23030	black	20 mm	40 mm	1.6 mm	50
23035	black	10 mm	50 mm	2.0 mm	50
23040	black	20 mm	50 mm	1.6 mm	50
23045	black	20 mm	50 mm	3.0 mm	50
23050	black	25 mm	50 mm	1.6 mm	50
23055	black	25 mm	50 mm	2.5 mm	50
23060	black	30 mm	50 mm	3.0 mm	50
23065	black	20 mm	60 mm	1.6 mm	25
23070	black	40 mm	60 mm	4.0 mm	25
23075	black	38 mm	64 mm	1.6 mm	25
23080	black	38 mm	64 mm	3.0 mm	25
23085	black	35 mm	65 mm	1.6 mm	25

Product Code	Colour	Width (A)	Length (B)	Wall (b)	Pack size
23090	black	35 mm	65 mm	3.0 mm	25
23095	black	25 mm	75 mm	3.0 mm	25
23100	black	38 mm	75 mm	3.0 mm	25
23105	black	50 mm	75 mm	4.0 mm	25
23110	black	38 mm	76 mm	1.6 mm	25
23115	black	40 mm	80 mm	1.0-3.0 mm	10
23120	black	40 mm	80 mm	3.2-4.0 mm	10
23125	black	50 mm	80 mm	2.0-4.0 mm	10
23130	black	25 mm	100 mm	3.0 mm	10
23135	black	50 mm	100 mm	2.0-4.0 mm	10
23140	black	50 mm	100 mm	1.6-4.5 mm	10
23145	black	50 mm	100 mm	3.2-5.0 mm	10
23150	black	75 mm	125 mm	3.0-5.0 mm	10
23155	black	50 mm	150 mm	2.0-4.0 mm	10
23160	black	100 mm	150 mm	3.0-8.0 mm	10

Post Caps

Durable plastic post caps available for 50mm and 65mm posts, in black only.



Product Code	Colour	Fits square tube width	Pack size
21950	black	50mm	10
21955	black	65mm	10

**Can't find what you are after?
Give us a call (02) 6332 1111**

Internal Round Closures

Internal fitting Round Plastic Tube Closures made from durable plastic and in a range of sizes. Available in black (available in white on request).



Product Code	Colour	Size (A)	Wall (b)	Pack size
11010	black	10 mm	1.0 mm	100
11015	black	13 mm	1.0 mm	100
11020	black	13 mm	1.6 mm	100
11025	black	16 mm	1.0 mm	100
11030	black	16 mm	1.6 mm	100
11035	black	16 mm	2.0 mm	100
11040	black	19 mm	1.6 mm	100
11045	black	19 mm	2.0 mm	100
11050	black	20 mm	0.8-2.0 mm	100
11055	black	22 mm	1.6 mm	100
11060	black	22 mm	3.0 mm	100
11065	black	25 mm	1.6 mm	100
11070	black	25 mm	3.0 mm	100
11075	black	27 mm	1.0-3.0 mm	50
11080	black	28 mm	1.6 mm	50
11085	black	30 mm	1.6 mm	50
11090	black	30 mm	2.5 mm	50
11095	black	32 mm	1.6 mm	50
11100	black	32 mm	2.5 mm	50
11105	black	33.7 mm	1.0-3.0 mm	50
11110	black	33.7 mm	2.6-4.0 mm	50
11115	black	35 mm	1.6 mm	50
11120	black	38 mm	1.6 mm	50
11125	black	38 mm	1.0-3.5 mm	50
11130	black	40 mm	1.6 mm	50
11135	black	40 mm	1.0-3.0 mm	50
11140	black	42 mm	2.5 mm	50
11145	black	42.4 mm	2.6-4.0 mm	50
11150	black	45 mm	0.8-3.5 mm	50

Product Code	Colour	Size (A)	Wall (b)	Pack size
11155	black	48.3 mm	1.2-3.6 mm	50
11160	black	48.3 mm	3.2-5.0 mm	50
11165	black	50 mm	1.6 mm	50
11170	black	50 mm	1.0-2.5 mm	50
11175	black	50.8 mm	1.0-2.0 mm	50
11180	black	50.8 mm	2.0-3.2 mm	50
11185	black	60 mm	1.5-3.0 mm	50
11190	black	60.3 mm	3.2-5.0 mm	50
11195	black	63.5 mm	1.2-2.0 mm	25
11200	black	64 mm	1.6 mm	25
11205	black	75 mm	1.6 mm	25
11210	black	75 mm	1.0-3.5 mm	25
11215	black	76.1 mm	1.6-4.0 mm	10
11220	black	76.1 mm	3.2-5.0 mm	10
11225	black	80 mm	1.5-3.0 mm	10
11230	black	88.9 mm	1.8-4.0 mm	10
11235	black	90 mm	2.5-5.5 mm	10
11240	black	95 mm	1.5-4.0 mm	10
11245	black	100 mm	1.5-4.5 mm	10
11250	black	102 mm	1.5-4.0 mm	10
11255	black	114.3 mm	3.2-5.5 mm	10
11260	black	120 mm	2.0-4.0 mm	10
11265	black	125 mm	2.0-6.0 mm	10
11270	black	130 mm	2.0-6.0 mm	10
11275	black	133 mm	2.0-6.0 mm	10
11280	black	139.7 mm	2.0-6.5 mm	10
11285	black	150 mm	2.0-7.0 mm	10
11290	black	168.3 mm	2.0-6.5 mm	10

Door Stops

Save your walls with our range of durable rubber door stops available in 4 sizes in black (white available on request)

Product Code	Colour	Height	Diameter	Pack size	Notes
41005	black	16mm	22mm	100	mini
41010	black	21mm	29mm	50	small
41015	black	25mm	38mm	50	large
41020	black	44mm	37mm	25	jumbo




GROMMETS

Wiring Grommets

Protect wires from drilled holes with our range of durable rubber grommets available in a range of sizes in black




Product Code	Colour	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	Pack size
51010	black	3.5	11.0	2.0	6.0	6.0	100
51015	black	3.0	11.5	1.2	5.2	6.4	100
51020	black	5.5	11.0	1.6	9.5	7.5	100
51025	black	5.2	10.0	1.6	5.0	7.6	100
51030	black	3.2	11.0	1.6	6.4	6.7	100
51035	black	7.0	16.0	1.5	6.5	9.0	100
51040	black	3.2	15.6	1.6	9.5	11.0	100
51045	black	5.5	17.0	1.6	9.0	11.0	100
51050	black	5.5	17.0	3.0	9.0	11.0	100
51055	black	7.0	14.0	2.0	8.0	12.5	100
51060	black	9.5	16.0	2.5	7.5	12.5	100
51065	black	7.2	15.0	1.6	6.4	12.7	100
51070	black	7.8	17.0	1.2	9.0	12.7	100
51075	black	7.8	17.0	2.4	9.0	12.7	100
51080	black	8.0	16.5	4.0	11.0	12.7	100
51085	black	9.5	15.5	1.6	6.4	11.5	100
51090	black	9.5	17.0	2.0	6.5	12.7	100
51095	black	9.5	17.0	2.0	6.5	12.7	100
51100	black	7.6	19.0	3.0	11.0	14.0	50
51110	black	9.5	25.4	1.6	8.6	16.0	50
51115	black	9.5	25.4	3.0	10.2	16.0	50
51120	black	12.5	20.5	1.6	6.4	15.0	50
51125	black	12.7	21.0	2.0	7.0	16.0	50
51130	black	12.7	25.4	1.2	7.0	18.0	50
51135	black	15.0	26.5	1.0	8.0	19.0	50
51140	black	9.0	25.0	1.6	7.5	20.0	50
51145	black	11.0	25.0	1.6	7.5	19.0	50
51150	black	19.0	34.5	1.6	8.5	24.0	50
51155	black	15.5	29.4	1.6	7.0	20.0	50
51160	black	16.0	28.6	3.0	8.0	25.4	50
51165	black	16.0	30.0	6.0	10.0	25.4	50
51170	black	19.0	34.0	2.0	8.0	24.0	50
51175	black	22.0	38.0	2.0	8.0	28.0	50
51180	black	22.5	38.0	1.6	9.0	30.0	50
51185	black	28.0	44.0	1.6	9.0	35.0	50
51190	black	38.0	54.0	3.0	12.0	47.0	50
51195	black	49.0	67.0	3.0	12.7	57.0	50
51200	black	49.0	85.0	4.0	14.0	64.0	10



Blind Grommets

Protect wires from drilled holes with our range of durable rubber grommets available in a range of sizes in black.

Product Code	Colour	E	Pack size
53010	black	6mm	100
53015	black	8mm	100
53020	black	10mm	100
53025	black	13mm	100
53030	black	16mm	50
53035	black	19mm	50
53040	black	22mm	50
53045	black	25mm	50
53050	black	28mm	25
53055	black	32mm	25
53060	black	38mm	10
53065	black	44mm	10
53070	black	50mm	10



Wheel Chocks

Manufactured from an extremely durable and hard-wearing EPDM blended rubber compound, our range of wheel chock products have been independently tested to the load factors shown in the SAE J348 (Society Of Automotive Engineers) standard. All wheel chocks were found to meet and in some cases exceeded the required load ratings in the Standard.

SIZES

Small: 205mm (L) x 130mm (W) x 100mm (H) - weight: 1kg
 Medium: 205mm (L) x 205mm (W) x 105mm (H) - weight: 2kg
 Large Half Moon: 260mm (L) x 180mm (W) x 210mm (H) - weight: 4.5kg
 Jumbo Half Moon: 300mm (L) x 300mm (W) x 260mm (H) - weight: 12kg



Also available in Pyramid styles, tethered options and with handles.

Hoist Pads

Vehicle hoist pads manufactured from extremely durable high grade rubber compound. Available in rectangle and round to suit: Monar, Tecalemit, Bishamon, Powerrex



Crane Pads

Excellent support for crane and excavator feet, stabilizer / outrigger cylinder supports or other equipment. Made from superior rubber compound, the rubber crane pad leaves no mark on surfaces and landscape damage is reduced. Provides a safer and stable footing especially in wet ground conditions. Heavy-duty, weather resistant anti-slip surface design to enhance safety grip. Easy grab handle positioning storing.



HD Buffers

Heavy duty buffers with moulded mounting holes for easy fixing & manufactured from extremely durable & hardwearing 75 Duro hardness EPDM blended rubber compound. Ideal for medium weight truck bumpers, steel fire doors, or any industrial application where non cyclic buffing is experienced.


SIZES

A range of shapes and sizes available - contact us for more information.



Bumper Mounting

Solid durable hard wearing EPDM moulded rubber reduces vibration & noise. Ideal for machine mounts, legs stands, protecting doors, pillars, walls, truck bumpers & various industrial applications.




Pillar Guard

These high quality, natural rubber corner guards are ideal for use in all manner of car parks, hospitals, schools, shopping centres and factory complexes. They are suitable for various high use areas. Ideal for providing protection from damage to buildings and vehicles in car parks, loading bays, and storage areas.

SIZES

Width: 80mm x 80mm
Lengths: 165mm and 1000mm
Available in black and yellow.



Tie Downs

Heavy duty tie downs made from natural rubber with quick grip hooks each end. NB: Not UV Stabilised.



WARNING: Do not extend rubber tie down strips beyond their recommended maximum stretch limits

P/N	LENGTH	REC STRETCH	PACK QTY
MR-74-010-10	254mm	330mm	10
MR-74-0150-10	381mm	481mm	10
MR-74-021-10	533mm	750mm	10
MR-74-031-10	787mm	1000mm	10

Tarp Tie Downs

Heavy duty tarpaulin (dog-bone) tie downs made from natural rubber allow quick & easy fixing.
Length: 315mm Width: 60mm
Pack Quantity: 10



McDonalds Door Seal

Durable hard wearing moulded rubber door seal specifically engineered to meet McDonalds standards. 44mm x 1000mm length.



RUBBER EXTRUSION

EPDM Sponge Extrusions



ER-31-044R



ER-39-089R



ER-39-092R



ER-39-144R



ER-39-159R



ER-39-236R



ER-39-316R



ER-39-399R



ER-39-416R



ER-39-478R



ER-39-480R



ER-39-497R



ER-39-499R



ER-39-592



ER-39-593



ER-39-594



ER-39-607



ER-39-8979



ER-39-618



ER-39-620

Some items may be Made to order & MOQ may apply.

EPDM Sponge Extrusions



ER-39-668



ER-39-8799



ER-39-8840



ER-39-8841



ER-60-A01



ER-60-A02



ER-60-A12



ER-60-B01



ER-60-B03



ER-60-B05



ER-60-B06



ER-60-B13



ER-60-D06



ER-FJ121- (S184)



ER-#G124 (S315)



ER-RSC97



ER-S125



ER-S126



ER-S147



ER-S185

Some items may be Made to order & MOQ may apply.

Self Adhesive Sponge - D Section



20 X 20
33M roll

ER-ASD1989T



18 X 18
33M roll

ER-AS319T



16 X 12
33M roll

ER-AS54T



19 X 9.5
33M roll

ER-AS119DT



19 X 12.7
33M roll

ER-AS125DT



19 X 14.3
33M roll

ER-AS135DT



16 X 9.5
33M roll

ER-AS109DT




32 X 21 X 4 WALL
30M roll

ER-AS925ST




TPR
9 X 8.3
100M roll

ER-DS19948T



AS31STER-ASD2422T




Available in White (W) or Grey (GY)
ER-ASP95T(W/GY)




ER-ASD96T(W/GY)

Self Adhesive Sponge - Special



ER-ASE104T



ER-ASE158T




20 X 16
30M roll
ER-AS31ST



Some items may be Made to order & MOQ may apply.

Rubber Extrusion - EPDM Sponge Rectangular

RECTANGULAR



SPONGE SECTION


P/N	REF#	A	B
ER-ES0125	P506	1.5mm	25mm
ER-ES0308	P499	3mm	8mm
ER-ES0313	P398	3mm	13mm
ER-ES0325	P399	3mm	25mm
ER-ES0332	P497	3mm	32mm
ER-ES0338	P495	3mm	38mm
ER-ES0510	P507	4.5mm	10mm
ER-ES0513	P485	5mm	13mm
ER-ES0517	P503	4.5mm	17.5mm
ER-ES0525	P496	4.5mm	25mm
ER-ES0538	P505	4.5mm	38mm
ER-ES0606	P400	6mm	6mm
ER-ES0610	60-8758	6mm	10mm
ER-ES0613	P401	6mm	13mm
ER-ES0619	P402	6mm	19mm
ER-ES0625	P403	6mm	25mm
ER-ES0632	P431	6mm	32mm
ER-ES0638	P404	6mm	38mm
ER-ES0650	P488	6mm	50mm
ER-ES0670	P433	6mm	70mm
ER-ES0810	P504	8mm	10mm
ER-ES1010	P405	10mm	10mm
ER-ES1013	P406	10mm	13mm
ER-ES1017	P501	10mm	17.5mm
ER-ES1019	60-8757	10mm	19mm
ER-ES1025	P487	10mm	25mm
ER-ES1032	P407	10mm	32mm
ER-ES1038	P545	10mm	38mm
ER-ES1050	P546	10mm	50mm
ER-ES1111	P502	11.5mm	11.5mm

P/N	REF#	A	B
ER-ES1222	P500	12.5mm	22mm
ER-ES1250	S551	12.5mm	50mm
ER-ES1313	P408	13mm	13mm
ER-ES1316	P409	13mm	16mm
ER-ES1319	P410	13mm	19mm
ER-ES1325	P411	13mm	25mm
ER-ES1338	P412	13mm	38mm
ER-ES1344	P413	13mm	44mm
ER-ES1350	P414	13mm	50mm
ER-ES1616	P415	16mm	16mm
ER-ES1619	P416	16mm	19mm
ER-ES1625	P417	16mm	25mm
ER-ES1650	P422	16mm	50mm
ER-ES1919	P423	19mm	19mm
ER-ES1925	P427	19mm	25mm
ER-ES1932	P424	19mm	32mm
ER-ES1938	P425	19mm	38mm
ER-ES1950	P426	19mm	50mm
ER-ES2222	P463	22mm	22mm
ER-ES2238	P466	22mm	38mm
ER-ES2250	P472	22mm	50mm
ER-ES2525	P428	25mm	25mm
ER-ES2532	P467	25mm	32mm
ER-ES2538	P429	25mm	38mm
ER-ES2550	P473	25mm	50mm
ER-ES3250	P476	32mm	50mm
ER-ES3838	P478	38mm	38mm
ER-ES3850	P479	38mm	50mm
ER-ES5050	P484	50mm	50mm

* Available in 30M lengths or 10M cuts

Rubber Extrusion - EPDM Solid Rubber Strip

EPDM SOLID RUBBER STRIP



P/N	A	B
ER-SRS05	5mm	5mm
ER-SRS06	6mm	6mm
ER-SRS10	10mm	10mm
ER-SRS1210	12mm	10mm
ER-SRS1303	13mm	3mm
ER-SRS1311	13mm	11mm
ER-SRS13	13mm	13mm
ER-SRS11412	14mm	12mm
ER-SRS1510	15mm	10mm
ER-SRS1512	15mm	12mm
ER-SRS1616	16mm	14mm
ER-SRS16	16mm	16mm
ER-SRS1703	17mm	13mm
ER-SRS1812	18mm	12mm
ER-SRS1913	19mm	13mm
ER-SRS19	19mm	19mm
ER-SRS2012	20mm	12mm
ER-SRS20	20mm	20mm
ER-SRS2215	22mm	15mm
ER-SRS22	22mm	22mm
ER-SRS2502	25mm	2.5mm
ER-SRS2503	25mm	3mm
ER-SRS2404	25mm	4.4mm
ER-SRS2506	25mm	6mm
ER-SRS2510	25mm	10mm
ER-SRS25	25mm	25mm
ER-SRS26	26mm	26mm
ER-SRS2706	27mm	6mm
ER-SRS2812	28mm	12mm


P/N	A	B
ER-SRS3010	30mm	10mm
ER-SRS3015	30mm	15mm
ER-SRS3204	32mm	4mm
ER-SRS3505	35mm	5mm
ER-SRS3519	35mm	19mm
ER-SRS3603	36mm	3mm
ER-SRS3606	36mm	6mm
ER-SRS3804	38mm	4.5mm
ER-SRS4002	40mm	2mm
ER-SRS4003	40mm	3mm
ER-SRS4006	40mm	6mm
ER-SRS4012	40mm	12mm
ER-SRS4020	40mm	20mm
ER-SRS4035	40mm	35mm
ER-SRS4502	45mm	2mm
ER-SRS4820	48mm	20mm
ER-SRS5001	50mm	1.2mm
ER-SRS5003	50mm	3mm
ER-SRS5005	50mm	5mm
ER-SRS5006	50mm	6mm
ER-SRS5010	50mm	10mm
ER-SRS5012	50mm	12mm
ER-SRS5025	50mm	25mm
ER-SRS5038	50mm	38mm
ER-SRS50	50mm	50mm
ER-SRS6001	60mm	1.5mm
ER-SRS6003	60mm	3mm
ER-SRS6012	60mm	12mm

P/N	A	B
ER-SRS6503	65mm	3mm
ER-SRS6505	65mm	5mm
ER-SRS6506	65mm	6mm
ER-SRS6512	65mm	12mm
ER-SRS7005	70mm	5mm
ER-SRS7030	70mm	30mm
ER-SRS7503	75mm	3mm
ER-SRS7506	75mm	6mm
ER-SRS7510	75mm	10mm
ER-SRS7513	75mm	13mm
ER-SRS8003	80mm	3mm
ER-SRS8006	80mm	6mm
ER-SRS8025	80mm	25mm
ER-SRS8503	85mm	3mm
ER-SRS10002	100mm	2mm
ER-SRS10012	100mm	12mm
ER-SRS10075	100mm	75mm
ER-SRS100	100mm	100mm
ER-SRS12010	120mm	10mm
ER-SRS12012	120mm	12mm
ER-SRS12504	125mm	4mm
ER-SRS14006	140mm	6mm
ER-SRS15012	150mm	12mm
ER-SRS15580	155mm	80mm
ER-SRS18005	180mm	5mm
ER-SRS25025	250mm	25mm

* Minimum Order Quantities apply, please enquire.


Rubber Extrusion - Cord

EPDM Sponge Cord



P/N	REF#	Diam
ER-ES04	P219	4mm
ER-ES05	P216	5mm
ER-ES06	P489	6mm
ER-ES07	P143	7mm
ER-ES10	P138	10mm
ER-ES12	P142	12.5mm
ER-ES15	P144	15mm
ER-ES19	P498	19mm
ER-ES25	ASC25	25mm

EPDM Cord



P/N	REF#	Diam
ER-EPDMCD-03		3mm
ER-EPDMCD-05		5mm
ER-EPDMCD-07		7mm
ER-EPDMCD-10		10mm
ER-EPDMCD-12		12.7mm
ER-EPDMCD-16		16mm
ER-EPDMCD-19		19mm
ER-EPDMCD-25		25mm

Nitrile (NBR) Cord



P/N	REF#	Diam
ER-NBRCD-03		3mm
ER-NBRCD-05		5mm
ER-NBRCD-07		7mm
ER-NBRCD-10		10mm
ER-NBRCD-12		12.7mm
ER-NBRCD-16		16mm
ER-NBRCD-19		19mm
ER-NBRCD-25		25mm


Pure Gum Rubber Cord



P/N	REF#	Diam
ER-PGCD-03		3mm
ER-PGCD-05		5mm
ER-PGCD-07		7mm
ER-PGCD-10		10mm
ER-PGCD-12		12.7mm
ER-PGCD-16		16mm
ER-PGCD-19		19mm
ER-PGCD-25		25mm


Rubber Extrusion - Solid

Solid Rubber Blocks



P/N	A	B	C
ER-SRB5050250	50mm	50mm	250mm
ER-SRB5050500	50mm	50mm	500mm
ER-SRB7575250	75mm	75mm	250mm
ER-SRB7575500	75mm	75mm	500mm
ER-SRB10075100	100mm	75mm	100mm
ER-SRB10075150	100mm	75mm	150mm
ER-SRB10075250	100mm	75mm	250mm
ER-SRB10075500	100mm	75mm	500mm
ER-SRB100100100	100mm	100mm	100mm
ER-SRB100100150	100mm	100mm	150mm
ER-SRB100100250	100mm	100mm	250mm
ER-SRB100100500	100mm	100mm	500mm

Solid Fluted Strips



P/N	WIDTH	THICKNESS
SR-FLU25	25mm	4mm
SR-FLU30	30mm	4mm
SR-FLU45	45mm	4mm
SR-FLU65	65mm	4mm
SR-FLU75	75mm	4mm
SR-FLU100	100mm	4mm


** Available in EPDM or SBR materials*




Hatch Cover




P/N	Through Hole	A	B
ER-HATCH	19mm	38mm	38mm




Door Seals - E-Seals




ER-DS5RE




ER-DS10RE




ER-DS11RE




ER-DS12RE




ER-DS13RE



ER-DS15RE




ER-DS20RE




ER-DS25RE


Misc-Seals



ER-DS35RE



ER-DS45RE




ER-DS857




ER-DSCOMPACT


H-Seals




ER-DS15H



ER-DS20H




ER-DS25H




ER-DS32H


J-Seals




ER-DS15J



ER-DS20J




ER-DS25J



ER-DS32J

Some items may be Made to order & MOQ may apply.


Door Seals - P-Seals



ER-DSP067



ER-DSP095



ER-DS P100




ER-DSP104




ER-DSP105




ER-DSP107



ER-DSP109




ER-DSP111




ER-DSP165



ER-DSP409




ER-DSP920




ER-DS124

Irrigation Seals




ER-IRR1077




ER-IRR 1244




ER-IRR285



ER-IRR620



ER-DIRR631



ER-IRR700



ER-IRR266



ER-IRR279

Some items may be Made to order & MOQ may apply.

**➔ Can't find what you are after?
Give us a call (02) 6332 1111**

Rubber Extrusions - Weatherstrip



ER-1032



ER-1130



ER-39-178R

W: 6mm
H: 15mm
P: 2mm



ER-39-335R

W: 6mm
H: 10mm
P: 2mm



ER-39-358R



ER-39-520R



ER-39-527R

W: 4mm
H: 25mm
P: 2mm



ER-39-544R

W: 6mm
H: 8mm
P: 4mm



ER-39-557R

W: 3mm
H: 17mm
P: 1mm



ER-39-558R

W: 3mm
H: 10mm
P: 4mm



ER-39-559R

W: 5mm
H: 7mm
P: 2mm



ER-39-560R

W: 6mm
H: 7mm
P: 3mm



ER-39-561R

W: 9mm
H: 14mm
P: 4mm



ER-39-562R

W: 5mm
H: 15mm
P: 3mm



ER-39-589

W: 5mm
H: 13mm
P: 1mm



ER-39-590

W: 10mm
H: 12mm
P: 6mm



ER-39-591

W: 5mm
H: 8mm
P: 2mm



ER-39-669

W: 10mm
H: 10mm
P: 6mm



ER-39-670

W: 4mm
H: 5mm
P: 2mm



ER-39-671

Some items may be Made to order & MOQ may apply.

Rubber Extrusions - Weatherstrip

W: 4mm
H: 20mm
P: 1mm



ER-39-8801

W: 5mm
H: 8mm
P: 2mm



ER-39-8803

W: 8mm
H: 12mm
P: 2mm



ER-39-8804

W: 8mm
H: 9mm
P: 5mm



ER-39-8805

W: 5mm
H: 15mm
P: 3mm



ER-39-8806

W: 3mm
H: 12mm
P: 1mm



ER-39-8807

W: 8mm
H: 12mm
P: 3mm



ER-39-8824

W: 6mm
H: 14mm
P: 3mm



ER-39-8838



ER-43-029AR



ER-512



ER-51-638



ER-520



ER-530



ER-539



ER-542



ER-550



ER-559

W: 6mm
H: 11mm
P: 4mm



ER-566

W: 13mm
H: 12mm
P: 7mm



ER-568



ER-575

Some items may be Made to order & MOQ may apply.

Rubber Extrusions - Weatherstrip



ER-647



ER-648




ER-649

W: 8mm
H: 14mm
P: 5mm



ER-676




ER-704



ER-778




ER-781



ER-904

E- Seals

W: 9mm
H: 15mm
P: 6mm




ER-921


W: 7mm
H: 15mm
P: 5mm



ER-934




ER-ESEAL19



ER-ESEAL35

P- Seals



ER-PSEAL10



ER-PSEAL12



ER-PSEAL18



ER-PSEAL29


H-Seals



Supplied in 15 Meter coils


ER-HSEAL25

D-Seals



Self Adhesive Tape


ER-DSEAL16



Self Adhesive Tape

ER-DSEAL18

Wheel Arch



Side fitting wheel arch fair

Under fitting wheel arch fair

ER-51-444 ER-51-462

Some items may be Made to order & MOQ may apply.

Bailey Channel - Flocked Rubber



ER-31-025



ER-32-006



ER-39-037R



ER-39-068R



ER-39-069R



ER-39-401



ER-39-424



ER-39-426



ER-39-500



ER-39-501



ER-39-502



ER-39-622



ER-39-628



ER-39-8785



ER-39-8848



ER-39-51-903



ER-64-017



ER-64-020



ER-64-026



ER-64-067

Some items may be Made to order & MOQ may apply.

Bailey Channel - Flocked Rubber



ER-64-139



ER-64-143



ER-64-153



ER-64-193 (4018701)



ER-SS1150 - 30M



Windscreen Insertion Strip




ER-K120



ER-K120



ER-K150 (MYLAR)



ER-K150BL (RUBBER)



ER-K160



ER-410



ER-K540



ER-K960

Some items may be Made to order & MOQ may apply.




VIEW PRODUCTS

Channels & Locking Strips




ER-GR1059/779



ER-GR1204/929



ER-GR39-8517R



ER-GR39-8846



ER-GR51-004/992




ER-GR778/779



ER-GR779



ER-GR928



ER-GR928/929



ER-GR929



ER-GRFJ002



ER-GRFX001



ER-GRFX002




Some items may be Made to order & MOQ may apply.

Glazing Rubber




ER-GR025



ER-GR081



ER-GR10




ER-GR1058




ER-GR1059




ER-GR1059SL




ER-GR1084



ER-GR1085




ER-GR1128



ER-GR1145




ER-GR1253



ER-GR1294



ER-GR1300



ER-GR1389



ER-GR1506



ER-GR1507



ER-GR1509



ER-GR1511



ER-GR1512



ER-GR1514

Some items may be Made to order & MOQ may apply.

Glazing Rubber



ER-GR1517



ER-GR1518



ER-GR1520




ER-GR1522



ER-GR1523




ER-GR2




ER-GR207



ER-GR209



ER-GR247




ER-GR265SL



ER-GR3




ER-GR309




ER-GR372



ER-GR378



ER-GR4



ER-GR402



ER-GR416



ER-GR5



ER-GR503




ER-GR6

Some items may be Made to order & MOQ may apply.




Can't find what you are after?
Give us a call (02) 6332 1111


Glazing Rubber




ER-GR703



ER-GR704



ER-GR748



ER-GR764



ER-GR778




ER-GR778SL



ER-GR8



ER-GR8SL




ER-GR904



ER-GR504



ER-GR542



ER-GR562





ER-GRL1




Some items may be Made to order & MOQ may apply.


Rubber Extrusions - Capping Rubber




ER-U01




ER-U02




ER-U03




ER-U04




ER-U05




ER-U06



ER-U07



ER-U08



ER-U09




ER-U010




ER-U012




ER-U493



ER-UGRIP13



ER-U1098



ER-U1093




Some items may be Made to order & MOQ may apply.


Rubber Extrusions - Cover Strip



CS 500*
ER-CS500




CS 450*
ER-CS450




CS 478*
ER-CS478




Refrigeration Gasket



ER-RFFG11




ER-RFD14




ER-RFD11MK3



Fender Piping / Flare




ER-PLAF17365




ER-PLA77976




L Section




ER-L70709




ER-L50504




ER-L811




ER-L40203




ER-L30304



ER-L1443



ER-DIE1192









Some items may be Made to order & MOQ may apply.

Rubber - Docking Rubber



Protect property & vehicles from damage by using these heavy duty moulded docking rubbers. Suitable for loading bays, docks, jetties, transport yards, depots, trucks, trailers, wharves etc. Manufactured from extremely durable & hardwearing EPDM blended rubber compound. Easily drilled for mounting & can be fixed directly to the bumpers of vehicles. * Items with MOQ (Min Order Qty may apply)

P/N	HEIGHT	WIDTH	THICK-NESS	LENGTH
MR-DR300	110mm	90mm	20mm	300mm
MR-DR1000	110mm	90mm	20mm	1000mm
MR-DR1200	94mm	104mm	20mm	1200mm
ER-DR100	90mm	105mm	20mm	5000mm
ER-DRW100 WHITE	90mm	105mm	20mm	5000mm
ER-DR110	95mm	106mm	20mm	4000mm
ER-DR1125/1	16mm	25mm		
ER-DR1126/1	22mm	32mm		
ER-DR1127/1	32mm	42mm		
ER-DR1153*	75mm	105mm	10mm	MTO
ER-DR1168*	65mm	70mm		4000mm
ER-DR150	145mm	150mm		4000mm
ER-DR440	40mm	50mm	8mm	3000mm
ER-DR441	65mm	75mm	10mm	3000mm
ER-DR442	80mm	100mm	12mm	3000mm
ER-DR50	40mm	50mm	8mm	4000mm
ER-DRW50 WHITE	40mm	50mm	8mm	5000mm
ER-DR554	92mm	103.6mm	19.5mm	3000mm
ER-DR60	60mm	60mm		4000mm
ER-DR75	65mm	75mm	15mm	4000mm
ER-DRW75 WHITE	65mm	75mm	15mm	5000mm
ER-DR777*	100mm	75mm	15mm	3000mm
ER-DR35	25mm	75mm	10mm	30m/4m




* Set lengths & pre drilled holes available



PINCHWELD

Pinchweld - EPDM Rubber & Sponge




Grip Range: 1.0 - 4.0 mm

MR-66002




Grip Range: 1.0 - 4.0 mm

MR-66003




Grip Range: 1.0 - 4.0 mm

MR-66004




Grip Range: 1.0 - 2.5 mm

MR-66005




Grip Range: 1.0 - 3.0 mm

MR-66006




Grip Range: 1.0 - 3.0 mm

MR-66007




Grip Range: 1.0 - 3.0 mm

MR-66008




Grip Range: 1.0 - 3.0 mm

MR-66009




Grip Range: 1.0 - 3.0 mm

MR-66010




Grip Range: 1.0 - 2.5 mm

MR-66011



Grip Range: 1.0 - 2.5 mm

MR-66012




Grip Range: 1.0 - 3.0 mm

MR-66013




Grip Range: 1.0 - 3.0 mm

MR-66014




Grip Range: 1.0 - 3.0 mm

MR-66015




Grip Range: 1.0 - 2.0 mm

MR-66016




Grip Range: 1.0 - 4.0 mm

MR-66017



Grip Range: 1.0 - 4.0 mm


MR-66018



Grip Range: 1.0 - 4.0 mm


MR-66020

Please note that the materials have been tested to comply with the requirements of FMVSS302 (Federal Motor Vehicle Safety Standard). Submitted samples shall not burn, nor transmit a flame front across its surface at a rate of more than 102mm per minute.




Grip Range: 1.0 - 4.0 mm

MR-66022




Grip Range: 1.0 - 2.5 mm

MR-66040




Grip Range: 1.0 - 4.0 mm

MR-66052




Grip Range: 1.0 - 2.5 mm

MR-66056




Grip Range: 1.0 - 2.5 mm

MR-66057




Grip Range: 2.0 - 5.0 mm

MR-66060



Grip Range: 1.0 - 3.0 mm

MR-66115



Grip Range: 1.0 - 3.0 mm

MR-66137




Grip Range: 1.5 - 5.0 mm

MR-66157




EPDM Rubber & Sponge - Schlegel

SCHLEGEL pinchweld type wire cage for maximum flexibility.




Grip Range: 1.0 - 3.0 mm

MR-60051SCH



Grip Range: 1.0 - 2.0 mm

MR-60052SCH



Grip Range: 1.0 - 3.0 mm

MR-60053SCH




Grip Range: 1.0 - 2.0 mm

MR-60057SCH


Please note that the materials have been tested to comply with the requirements of FMVSS302 (Federal Motor Vehicle Safety Standard). Submitted samples shall not burn, nor transmit a flame front across its surface at a rate of more than 102mm per minute.

Pinchweld - PVC/EPDM Sponge



Grip Range: 1.0 - 3.0 mm

MR-398844B




Grip Range: 1.0 - 3.0 mm

MR-60054 BLACK




Grip Range: 1.0 - 2.5 mm

MR-60055N BLACK




Grip Range: 1.0 - 2.5 mm

MR-60056B BLACK




Grip Range: 1.0 - 2.0 mm

MR-60058 BLACK




Grip Range: 1.0 - 2.0 mm

MR-60059 BLACK




Grip Range: 1.0 - 2.5 mm

MR-60063 BLACK




Grip Range: 2.0 - 5.0 mm

MR-60801 CHARCOAL




Grip Range: 2.0 - 5.0 mm

MR-60802 BLUE/GREY




Grip Range: 1.0 - 2.5 mm

MR-66035




Grip Range: 1.0 - 3.0 mm

MR-66037




Grip Range: 4.0 - 6.0 mm

MR-66083 BLACK




Grip Range: 6.0 - 8.0 mm

MR-66084 BLACK




Grip Range: 1.0 - 3.0 mm

MR-66173 BLACK




Grip Range: 1.0 - 3.0 mm

MR-66176 GREY



Grip Range: 2.0 - 5.0 mm

MR-668295 BLACK



Grip Range: 2.0 - 5.0 mm

MR-668296 WHITE

Please note that the materials have been tested to comply with the requirements of FMVSS302 (Federal Motor Vehicle Safety Standard). Submitted samples shall not burn, nor transmit a flame front across its surface at a rate of more than 102mm per minute.

ADHESIVES & TAPES

EPDM Rubber Tape

EPDM super soft sponge rubber self adhesive tape has very similar properties to our Neoprene tape, however it is far more compressible (softer) thus allowing greater tolerance variation of mismatched surfaces when sealing water air or dust. Compared to most other available “foam” tapes it is resistant to solvents and chemicals but is superior to them when used in applications to seal against weather, salt, water, air, dust, and when exposed to sunlight

Applications An excellent all-round sealing material in domestic construction against drafts and insulation breaks. It is used in applications such as truck and transport bodies, RV trailers and campers, heating and air conditioning units, duct work, refrigeration and cool boxes, boats, fibreglass components and industrial packaging



SIZES: Comes in 3m Lengths
Widths (mm): 12, 18, 24, 36, 48
Thicknesses (mm): 3, 6, 9.5, 12

COLOURS: Black

Neoprene Rubber Tape

Neoprene N42 sponge rubber self adhesive tape sets the benchmark for tapes in industrial applications where adverse conditions apply. This product offers excellent resistance to degradation in environments where fuels, oils, solvents, acids and chemicals are present. Neoprene tape has a high heat tolerance and UV resistance when compared to most other foams and sponge rubbers. The physical properties provide compressibility and the rebound features that make it an excellent seal against water, air and dust ingress.

Applications - Automotive, trucks and transport seals, RV caravans, campers and motor homes seals, heating and air conditioning units and duct work. It is also used in electrical cabinet seals, marine seals, industrial seals where acids and solvents are present, audio and electronic instruments seals and seals for fibre glass components.



SIZES: Comes in 3m Lengths
Widths (mm): 12, 18, 24, 36, 48
Thicknesses (mm): 3, 6, 9.5, 12

COLOURS: Black

PE Foam Tape

The foam tape used as a “weather strip” on top of one polycarbonate roof sheet when another is laid over it. They are typically fitted across the full width of the sheet, often with 2 strips – one approximately 50mm below the top of the bottom sheet, and the other approximately 25mm above the bottom of the overlapping sheet.

(Use PVC foam Lap seal tape if it will be in contact with metal roof sheeting.)


REASONS TO USE PURLIN TAPES

Closed cell polyethylene (PE) foam tape, with self-adhesive backing, are fitted to wooden or steel purlins to prevent noise (squeaking) caused by expansion and contraction of polycarbonate sheets during temperature variations. These tapes are used either when polycarbonate sheeting is installed between metal sheets (to allow light to penetrate to the space below), or when the entire roof uses polycarbonate roofing. Purlin tapes are normally installed along the full width of the purlin prior to placing the polycarbonate on the roof structure.

REASONS TO USE BACK CHANNEL TAPES

The foam tape is fitted into a “C-section” channel mounted on a wall, into which sheets of metal roofing are pushed in at a slight angle. This is typically used when they are fitted under a gutter in awnings and patios. The foam does not hold water, and will compress when the sheets are pushed into it, to create a watertight seal, preventing rain from blowing up the sheets and running down the wall.

(If using metal roof sheets our PVC Back channel tape should be used)



SIZES: Comes in 3m Lengths
Widths (mm): 12, 18, 24, 36, 48
Thicknesses (mm): 3, 6, 9.5, 12

COLOURS: Black

Strong Bond - Contact Cement

BFR Strong Bond is a range of high grade and quality Sprayable and Brush-on Contact Adhesives, suitable for most trimming and upholstery applications, where temperature resistance may also be required. Strong Bond can be used on a range of materials including; plastic laminates, MDF, particleboard, timber, metal, concrete, glass, rubber, fabrics and urethane foam. Strong Bond is heat resistant up to 120° C.

Sprayable available in: 1, 2 and 4 litres

Brush-on available in: 500ml, 1 litre and 2 litres



Tensorgrip® Adhesives

Tensorgrip® are a range of quality spray adhesives and products featuring leading-edge technology

- Delivers 100% transfer. Because the system uses aerosol technology, all of the adhesive you spray reaches the substrate and no wastage is left in the bottom of the canister.
- Low solvent content. once applied to your substrate, it evaporates immediately.
- Easily adjustable spray patterns to suit any application. It is portable for onsite jobs, fast to apply and easy to clean.

Tensorgrip® T65 - High Temp Headlining Spray Adhesive

Tensorgrip® T65 is a premium strength adhesive for all automotive interior fabric and upholstery applications
Developed for: Fabric, Foam, MDF, Plastics, Synthetic Leather



Tensorgrip® L20 - High Performance Veneer Spray Adhesive

Tensorgrip® L20 is a veneer specialist. It is resistant to solvent-based lacquers, ensuring premium results even on thin veneers.
Developed for: Standard Laminate & Veneers



Tensorgrip® F40 Hi-Grab Foam & Fabric Spray Adhesive

TensorGrip® F40 is a highly aggressive adhesive for all demanding foam, fabric, upholstery and carpet applications. F40 is a non-chlorinated, high solids, synthetic rubber spray grade, multi-purpose adhesive in canisters. This adhesive is designed for versatility with a long open time and high tack level with excellent strength for bonding a wide variety of substrates including foam, fabrics, upholstery, plywood, MDF and many others. F40 can also be used as a tackifier for carpet tiles.

Developed for: Carpet Tile, Foam, Thick Fabric, Thin Fabric



Tensorgrip® F31 - Hi-Temp Foam & Upholstery Spray Adhesive

Tensorgrip® F31 is a high performance spray adhesive developed for demanding foam, fabric, leather and upholstery applications. Its tough curing properties and high temperature resistance give ultra-strong bond adhesion when working in high demand, bespoke upholstery applications, ensuring longevity and excellent, integral bond results.

Developed for: Aluminum, Fabric, Foam, Synthetic Leather, Thin Fabric



Tensorgrip® C101 - Citrus Adhesive Cleaner

TensorGrip® C101 Citrus Cleaner is a biodegradable, citrus solvent cleaner, degreaser and adhesive remover. It can be used safely on most surfaces and substrates, including painted surfaces, glass, porcelain, and concrete, and is compatible with many plastics and vinyl.

- Biodegradable.
- Compatible with Most Plastics.
- Citrus Scent.
- Increased Productivity.
- Fast Application.
- Minimises Waste.



VIEW PRODUCTS

Helmar H4000 Silicone Spray

A general lubricant - Lubricates, Protects, Shines and Restores. A huge range of applications including:

Industrial: Lubricates sliding surfaces, cutting dies, mould release, prevents adhesive build up, lubricates knives, saw blades,

Sport: Protects against salt water, fishing equipment, waterproofs leather footwear, spray on ski equipment, sailing and boating equipment, preserves rubber o-rings in swimming pool filter equipment.

Household: Curtain tracking, vertical drape tracking, frees sticky draws, sliding windows and door tracking, hinges, garage doors, zippers, luggage. Spray on furniture, patent leather shoes, handbags, etc for a brilliant shine.

Automotive: Doors, Locks, hinges, silence noisy fan belts, waterproof ignition systems, lubricate rubber mountings, dashboards, insulate electrical systems, speedometer cables, for an excellent shine spray on tyres, rubber mouldings, leather or vinyl interiors.

Available Sizes: 300g Aerosol Spray, 125ml Handy Spray, 100ml bottle, 1L bottle & 5L bottle



Tenacious Surface Primers

These are recommended as bond promoters and used on either Low Surface Energy materials to facilitate a bond being formed or in challenging environmental conditions where the adhesives may be too cold to wet-out and form a bond without their use. Always trial these prior to use on the surfaces one is trying to bond to ensure compatibility.



CV2002 Cold Vulcanising Cement

Chemvulc Cold Vulcanising Cement CV2002 is multi-application adhesive cement for many industrial rubber bonding requirements. CV2002 cement plus hardener is the adhesive for bonding natural rubber, neoprene rubber, SBR rubber and other rubbers to each other, fabric and to steel without the aid of heat, pressure or special equipment.

CV2002 is a two component, chloroprene based adhesive when catalysed with the correct amount of Hardener, will vulcanise at room temperature. CV2002 has a wide scope of applications in bonding rubber to rubber, rubber to fabric, rubber to metal as well as rubber to concrete, fiberglass and urethane. It is also used in the splicing and repair of fabric conveyor belting. Repair to existing rubber lined vessels and rubber components are also recommended uses for CV2002.



Chemvulc Plasto Cement

Plasto Cement is a two part PVC cement for use on PVC conveyor belts and can be used for both hot and cold splicing of PVC belts.

Plasto Cement is a heavy duty adhesive for PVC sheeting and is suitable for use in marine applications for the repair of PVC rubber inflatable boats.



Rapidstick™ 8406 Cyanoacrylate Adhesive (Wicking Grade, Rubber & Metal Bonding)

ideal for a wide variety of manufacturing and repair applications requiring a reliable, high strength, industrial bond. It is specifically formulated for tight-fitting insensitive surfaces which are rough, porous, or acidic.

8406 is commonly used for bonding wood, cardboard, rubbers, plastics, metals, ceramics, and leather.



Tear-Aid Repair Kits

Tear-Aid Green instant repair system suited for vinyl and vinyl-coated products.

Rips & tears on any vinyl surface are no longer a dreaded problem if you have this Tear-aid instant repair system on hand. It has it's own unique features that enable it to perform exceptionally well in any area, and is more effective than any other repair patches, on both dry and wet surfaces.

Also available for inflatables, fabrics and vinyl seat repair.



Stormsure Flexible Repair Adhesive

Stormsure Flexible Repair Adhesive is a polyurethane based adhesive and can be used in situations that demand extremely high durability, strength and flexibility. The degree of elasticity offered allows for use for both static as well as for more flexible bonding and sealing purposes. Bonds leather, tile, rubber, PVC, wood, concrete, stone, metals, laminate, most plastics glass and PU on themselves or in combination. It can also be used to glue models, joinery, door sills, stairs, skirting boards, window sills.



Can't find what you are after?
Give us a call (02) 6332 1111



cloud 9

FOAM MATTRESSES

ADVANCED MEMORY FOAM


Why is a Cloud 9 Mattress Better?

Optimum comfort and support are our focus - all our mattresses are custom designed & handmade in Bathurst NSW using a scientifically designed advanced memory foam layer system that is custom tuned to help you sleep better. The result of 8 years of research, development and stringent testing, the Cloud 9 mattress has evolved into one of the leading mattresses for quality and value-for-money.

We only use Australian made, high density medical grade foams with different comfort levels to create the perfect feel and minimises partner disturbance. Our mattresses are also treated with anti-microbial protection against mites, bacteria and mould and feature quality YKK zippers.

**CUSTOM
MADE**

10 YEAR*
GUARANTEE



Unique Side Support

Another feature is the side rail support which stops the side of the mattress collapsing when sat on.

Deluxe Range

Featuring the latest technology: Dunlop cooling foam top layer, side support foam edge and internal non-stick lining. All mattresses in this range can be shaped to size or made to fold in half. Thickness: 230mm (custom thicknesses available).


2 Zip-Off Covers included - A versatile solution



- 1 Organic Cotton Cover: Comfortable 4-way stretch, natural fabric.




- 2 Mattress Protector: Waterproof, 4-way stretch, breathable, medical grade cover.



Where can I use a Cloud 9 Foam Mattress?

At Cloud 9 we have a range to suit almost any application from a comfortable mattress at home through to custom shaped mattresses for trucks, caravans and roof-top tents or a durable and hygienic solution for motion beds or Medical applications.

Being custom-made means our mattresses can be made to any size or shape.



In the Home

Wake up on Cloud 9 Our mattresses ensure a great night's sleep.

Caravan/ Motorhome

Dont put up with the wrong mattress on your next trip... We custom-build our mattresses to suit.



Camping/Swags

Cloud 9 have a range of slim-line mattresses ideal for swags and tents.

Truck/Boat

A Cloud 9 foam mattress is custom made to suit any size and shape requirement.



Medical/Motion Beds

A Cloud 9 foam mattress is comfortable and supportive plus feature anti-microbial protection.

What our customers are saying

"We love our new mattress! Really comfortable, with great support."


"We have had our Cloud 9 Mattress for over 4 year's now, it has been the most comfortable and affordable Mattress we have ever owned..."

"Sleeping better than we have in years. We highly recommend the Cloud 9 foam mattress..."

"So, so comfortable, we love our mattress..."

See our website for more.
*conditions apply

The Cloud 9 Difference



Laboratory Tested

The Cloud 9 foam mattress has been laboratory tested and fully Certified as a Pressure Relieving Mattress, meaning the Cloud 9 is comparable in performance to healthcare mattresses - at a fraction of the price.



CERTIFIED
Pressure Relieving
Mattress



Premium Quality & 10 Year Guarantee*

We use top quality, advanced memory foam to optimise comfort and support.



Custom Made

Custom designed for the ultimate in comfort - scientifically designed layer system that is custom tuned to how you sleep best.



Zero Partner Disturbance

Designed to minimise movement - much better than springs.



Zip-Off Cover & Mattress protector

Easy-to-wash, zip-off Organic Cotton cover & waterproof, breathable mattress protector included.



Anti-microbial Protection

Lifetime Protection against: Dust mites, Mould, Bacteria and Odour.

UPHOLSTERY SERVICES

Automotive | Home & Domestic | Commercial

The experienced team at Bathurst Foam and Rubber can handle a range of upholstery jobs for domestic and commercial applications including furniture upholstery, commercial seating, cushion making, and automotive and marine upholstery.

Caravan / Motorhome / Truck

We custom make all types of mattresses for caravans, motorhomes and trucks. Available in custom shapes, folding styles and with a great choice of fabric and vinyl covers. All our mattresses feature quality memory foam construction with our unique layered foam system to ensure the best in comfort and support.



Home & Domestic

Indoor and Outdoor Cushions and Upholstery




At Bathurst Foam & Rubber, we specialise in custom making of all upholstery for cushions (indoor & outdoor), window seats, daybeds, lounge and dining cushions and more. We have over 38 years experience in the industry and pride ourselves on attention to detail. Choose from a wide variety of fabric options to suit any decor.



Commercial Upholstery

Cafe | Restaurant | Shop | Waiting room

Keep your customers happy with comfortable, high quality and durable seating upholstery. Our experienced team use only top quality FR safe foam to ensure a long life with extended use. We can advise on the best solution for your business and our extensive fabric range ensures you will find a fabric to suit any interior design theme - ideal for banquette seats, booths, benches, dining chairs and more...





FOAMS FIT FOR PURPOSE

Upholstery foam is available in a range of hardness and density options, our experienced staff can advise on the best combination to suit your job.

MULTI-LAYERED

When our staff at Bathurst Foam & Rubber construct foam cushions or mattresses we employ a multi layered foam technique to give optimum comfort and support.



FABRIC OPTIONS

We supply a wide range of fabrics, leather and vinyls available in an almost endless range of colours and patterns to ensure a stylish finish for your next project.



**Can't find what you are after?
Give us a call (02) 6332 1111**



1/10 Littlebourne St,
Kelso NSW 2795

Phone: (02) 6332 1111
Email: bxfr@outlook.com
www.bathurstfoamandrubber.com.au